GMCW™

GRINDMASTER • CECILWARE™

Updated Price List

Pricing Effective January 1, 2014

Please note that the pricing in this book supersedes all previously published prices. All prices are subject to change. Please contact GMCW Customer Service for current pricing and product availability.

2014

Beverage Equipment Price List

Effective January 1, 2014

AMERICAN METAL WARE™ BY GMCW™

Cecilware® BY GMCW™

Crathco® BY GMCW™

GRINDMASTER® BY GMCW™

GMCW™
GRINDMASTER • CECILWARE™

2014 Beverage Equipment Price List

revised pricing effective January 1, 2014

Table of Contents

Food Service & Retail Coffee Grinders 2

Grind'n Brew Coffee Systems 3

Ground Coffee Dispensers 3

Decanter / Airpot Brewers Accessories & Warmers 4

Airpots & Airpot Racks 6

Shuttle®/Satellite Coffee Brewers & Accessories 7

Coffee Urns and Chinese Hot Tea Urns, Accessories & Options 9

Hot Water Boilers and Dispensers 15

Soluble Coffee Dispensers 17

Espresso Machines & Accessories 18

Espresso Grinders 19

Super Automatic Espresso Machines & Accessories 20

Hot Powdered Beverage Dispensers 21

Hot Chocolate Dispensers 25

Specialty Powdered Food & Beverage Dispensers 26

Iced Tea Brewers & Dispensers 27

Automatic Orange Juice Machines 28

Cold Beverage Dispensers, Accessories & Options 29

Granita Beverage Dispensers & Accessories 32

Crathco® Barrel Freezers & Accessories 34

Warranty 36

Sales Representatives 37

2013 Tradeshows 40

IMPORTANT INFORMATION WHEN ORDERING BEVERAGE EQUIPMENT

Credit Terms:

- Net 30 days from date of invoice with approved credit application. 1% discount for payment in 10 days. Credit applications for open account normally take 10 working days for approval unless rated by Dun and Bradstreet as high or good.
- We welcome MasterCard®, Visa®, and American Express®.
- Customers without open accounts are required to send payment in advance or pay by credit card. A cashier's check or money order can be accepted. No C.O.D. orders.
- Minimum order is $40 list price.
- No goods can be returned for credit without our prior written consent and may be subject to a 15% re-stocking charge and return shipping costs.

Freight:

- All equipment orders, on a single PO, of $5,000 net invoice or more to a single destination in the contiguous U.S. are freight prepaid (ground shipping only) by GMCW™.

- Prices subject to change without notice. Check www.gmcw.com for current pricing or contact Customer Service at 1-800-695-4500.
- Product availability subject to change. Contact customer service for current product availability at 1-800-695-4500.
- Product specifications are subject to improvement or change.
- Supersedes all previous price lists.

Coffee Grinders

Food Service Coffee Grinders

- Adjustable range of grind profile settings.
- Long lasting burrs deliver precise grind particle distribution.
- Dependable and economical.

Model 190SS

Model 250

Model 250RH-2

Model	Description	Ship Dimensions (H x W x D)	Ship Weight	List Price
100 (100)	Single portion grinder. One 6 lb. (2.7kg) hopper.	26.5" x 12.5" x 18.5" (67 cm x 32 cm x 47 cm)	46 lbs. (20.9 kg)	$ 1,316
190SS (190-SS)	Single portion grinder. One 6 lb. (2.7kg) hopper.	31" x 10.25" x 19" (79 cm x 26 cm x 48 cm)	44 lbs. (20 kg)	$ 1,494
250 (250)	Two 5.5 lb. (2.5kg) hoppers. Single portion each side.	31" x 10.25" x 19" (79 cm x 26 cm x 48 cm)	57 lbs. (25.8 kg)	$ 1,772
250-3A (250-3A)	250 grinder with three portions on each side.	31" x 10.25" x 19" (79 cm x 26 cm x 48 cm)	57 lbs. (25.8 kg)	$ 1,956
250RH-2 (250RH-2)	250 grinder with dual portions and two removable hoppers.	34" x 14" x 20" (86 cm x 36 cm x 51 cm)	62 lbs. (28 kg)	$ 2,042
250RH-3 (250RH-3)	250 grinder with three portions and two removable hoppers.	34" x 14" x 20" (86 cm x 36 cm x 51 cm)	62 lbs. (28 kg)	$ 2,450
82349	Replacement hopper for 250RH models.	14.25" x 6.5" x 12.25" (36 cm x 16 cm x 54 cm)	7 lbs. (3.2 kg)	$ 186
Electrical: 120V, 920W, 8A; Export voltage available.				

Retail Coffee Grinders

- Multiple grind particle profile selections.
- Fast grinding speed.
- Space saving design.
- Precision burrs.

Model 810

Model 890

Model	Description	Ship Dimensions (H x W x D)	Ship Weight	List Price
810S (810-BS)	810 grinder with ETL Sanitation listing.	26.75" x 18.5" x 12.5" (68 cm x 47 cm x 32 cm)	42 lbs. (19 kg)	$ 1,420
835S (835-BS)	835 grinder with ETL Sanitation listing.	26.75" x 18.5" x 12.5" (68 cm x 47 cm x 32 cm)	46 lbs. (21 kg)	$ 1,514
875S (875-S, B, or R)	875 grinder with ETL Sanitation listing.	31" x 10.25" x 19" (79 cm x 26 cm x 48 cm)	53 lbs. (24 kg)	$ 1,562
890BS (890-BS)	890 grinder with ETL Sanitation listing. European slicing burrs for precision grinding. Black only.	31" x 10.35" x 19" (79 cm x 26 cm x 48 cm)	53 lbs. (24 kg)	$ 1,706
890T (890-B-T)	European slicing burrs for precision grinding. 5 lb. (2.3 kg) hopper.	34.5" x 10.75" x 19.25" (88 cm x 28 cm x 49 cm)	57 lbs. (26 kg)	$ 1,944
Electrical: 120V, 920W, 8A; Export voltage available.				

pricing effective January 1, 2014

www.gmcw.com

Grind'n Brew Coffee Systems®

Grind'n Brew Coffee Systems®

- Unique system combines a precision coffee grinder and a brewer into one machine in under 10 inches of counter space.
- Digital control system.
- Brews into decanters or airpots.
- Single 5.5 lb. (2.49 kg) or dual 6.5 lb. (2.95 kg) hoppers.

Model GNB-11H

Model GNB-20H

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
GNB-11H (72079)	Single **decanter brewer** with single 5.5 lb. (2.49 kg) bean hopper.	120V / 1810W / 15A	32.25" x 15.5" x 29.75" (81 cm x 39 cm x 74 cm)	80 lbs. (36 kg)	$ 3,570
GNB-10H (72078)	Single 2.2L **airpot brewer** with single 5.5 lb. (2.49 kg) bean hopper.	120V / 1710W / 15A	32.25" x 15.5" x 29.75" (81 cm x 39 cm x 74 cm)	80 lbs. (36 kg)	$ 3,470
GNB-21H (70903N)	Single **decanter brewer** with dual 6.5 lb. (2.95 kg) bean hoppers.	120V / 1810W / 15A	38.25" x 15.5" x 29.75" (97 cm x 39 cm x 74 cm)	95 lbs. (42.75 kg)	$ 4,136
GNB-20H (72076)	Single 2.2L **airpot brewer** with dual 6.5 lb. (2.95 kg) bean hoppers.	120V / 1710W / 15A	38.25" x 15.5" x 29.75" (97 cm x 39 cm x 74 cm)	95 lbs. (42.75 kg)	$ 4,136
Note: Decanters and airpots sold separately, see pages 5-6.					

AL-LEN™ Ground Coffee Dispenser

- Dispenses into brew basket.
- Dispenses perfect portions with no mess, waste, or bridging.
- Easy dispenser adjustments.

Model A

Model	Description	Portion Control Size	Dimensions (H x W x D)	Ship Weight	List Price
Model A (078650)	Dispenses directly into a brew basket up to 8.75" (22.22 cm) in diameter.	1.5 -3.25 ounces	18.5" x 9.25" x 11.25" (47 cm x 23 cm x 29 cm)	14 lbs. (6.3 kg)	$ 804

Digital Decanter/Airpot Coffee Brewers

PrecisionBrew™ Digital Decanter/ Airpot Brewers & Accessories

- Brews into 1.9L vacuum insulated container, 2.2L airpots, decanters, or 2.5L gravity containers.

Model B-ID

Model B-6

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
B-ID (AB-ID)	Single, digitally controlled brewer brews into a **1.9L SS vacuum insulated container**.	120V / 1780W / 14.9A 120/240V / 3500W / 14.6A 120/208V / 2620W / 12.6A	22" x 13" x 24" (56 cm x 33 cm x 61 cm)	37 lbs. (16.8 kg)	$ 1,094
B-3 (AB-3)	Single, digitally controlled **decanter brewer**. Warmers: 1 bottom, 2 top	120V / 1800W / 15A 120/240V / 3800W / 15.9A 120/208V / 2920W / 14.1A	22" x 13" x 24" (56 cm x 33 cm x 61 cm)	35 lbs. (15.9 kg)	$ 1,172
B-3WL (AB-3WL)	Single, digitally controlled **decanter brewers**. Warmers: 1 bottom, 2 side (left or right indicated by model number)	120V / 1800W / 15A 120/240V / 3900W / 15.9A 120/208V / 2920W / 14.1A	22" x 21" x 24" (56 cm x 53 cm x 61 cm)	40 lbs. (18.1 kg)	$ 1,298
B-3WR (AB-3WR)	Single, digitally controlled **decanter brewers**. Warmers: 1 bottom, 2 side (left or right indicated by model number)	120V / 1800W / 15A 120/240V / 3900W / 15.9A 120/208V / 2920W / 14.1A	22" x 21" x 24" (56 cm x 53 cm x 61 cm)	40 lbs. (18.1 kg)	$ 1,298
B-6 (AB-6)	Twin, digitally controlled **decanter brewer**. Warmers: 2 bottom, 4 top	120/240V / 6600W / 27.5A 120/208V / 5110W / 24.6A	22" x 21" x 24" (56 cm x 53 cm x 61 cm)	55 lbs. (25 kg)	$ 2,074
B-SAP (AB-SAP)	Single, digitally controlled 2.2L **airpot brewer.**	120V / 1780W / 14.9A 120/240V / 3500W / 14.6A 120/208V / 2620W / 12.6A	28" x 13" x 24" (71 cm x 31 cm x 61 cm)	37 lbs. (16.8 kg)	$ 1,098
B-DAP (AB-DAP)	Twin, digitally controlled **airpot brewer**. Brews into a 2.2L or 2.5L airpot.	120/240V / 6000W / 25A 120/208V / 4510W / 21.7A	28" x 20" x 24" (71 cm x 31 cm x 61 cm)	55 lbs. (25 kg)	$ 1,898
B-SGP (AB-SGP)	Single, digitally controlled brewer, brews into a **2.5L vacuum insulated gravity container.**	120V / 1780W / 14.9A 120/240V / 3500W / 14.6A 120/208V / 2620W / 12.6A	32" x 13" x 24" (81 cm x 31 cm x 61 cm)	55 lbs. (25 kg)	$ 1,276
B-DGP (AB-DGP)	Twin digitally controlled brewer. Brews into a 2.5L **vacuum insulated gravity containers**.	120/240V / 6000W / 25A 120/208V / 4492W / 21.6A	32" x 21" x 24" (81 cm x 53 cm x 61 cm)	55 lbs. (25 kg)	$ 1,924
Electrical: Export voltage available. **Note:** Decanters, airpots, and insulated containers sold separately.					
Accessories for PrecisionBrew™ Digital Decanter/Airpot Brewers					
SS-1.9 LR (ASS-1.9LR)	1.9L SS vacuum insulated decanter with brew through lid. For use with B-ID. Black lid.	n/a	7.5" x 7.5" x 7.5" (19 cm x 19 cm x 19 cm)	2.7 lbs. (1.2 kg)	$ 62
SS-1.9 LD (ASS-1.9LD)	1.9L SS vacuum insulated decanter with brew through lid. For use with B-ID. Orange lid.	n/a	7.5" x 7.5" x 7.5" (19 cm x 19 cm x 19 cm)	2.7 lbs. (1.2 kg)	$ 62
DR-2SU (ADR-2SU)	Black, powder-coated decanter rack. Accompanies standard glass decanters and SS-1.9 vacuum insulated decanters.	n/a	15" x 11" 17" (38 cm x 28 cm x 43 cm)	3 lbs. (1.4 kg)	$ 58
AGP-2.5 (AGP-2.5)	2.5L vacuum insulated gravity container for use with Model B-DGP.	n/a	18" x 12" x 12" (46 cm x 30 cm x 30 cm)	6.1 lbs. (2.8 kg)	$ 142
70762-C	Case of 6 regular, 2.2L, glass lined airpots.	n/a	16.75" x 20.5" x 17" (42 cm x 52 cm x 43 cm)	26 lbs. (11.8 kg)	$ 302
70763-C	Case of 6 regular, 3L, stainless steel lined airpots.	n/a	16.75" x 20.5" x 17" (42 cm x 52 cm x 43 cm)	26 lbs. (11.8 kg)	$ 430

Decanter/Airpot Brewer Accessories

Glass Coffee Decanters

- Choose black or orange.
- Available in 3-packs or 24-packs.

Model 98000/98005

Model 98001/98006

Model	Description	Ship Dimensions (H x W x D)	Ship Weight	List Price
98000	24-pack black glass decanters	22" x 16" x 28" (56 cm x 41 cm x 72 cm)	35 lbs. (16 kg)	$ 198
98001	24-pack orange glass decanters	22" x 16" x 28" (56 cm x 41 cm x 72 cm)	35 lbs. (16 kg)	$ 192
98005	3-pack black glass decanters	24" x 8" x 15" (61 cm x 21 cm x 38 cm)	5 lbs. (2.3 kg)	$ 30
98006	3-pack orange glass decanters	24" x 8" x 15" (61 cm x 21 cm x 38 cm)	5 lbs. (2.3 kg)	$ 30

Brew Baskets & Filter Papers for Decanter/Airpot Brewers

Model	Description	Ship Weight	List Price
71952	Brew basket, Plastic, AT-Series and Pour-over brewers	4 lbs. (1.9 kg)	$ 24
A71619	Brew basket, stainless steel, B-Series	4 lbs. (1.9 kg)	$ 106
A06513-04	Filter papers, 12-cup - 1,000 per box	5 lbs. (2.3 kg)	$ 30
ABB1.5WP	Filter paper, 13 x 5 for 71431 brew basket - 500 per box	9 lbs. (4 kg)	$ 70
A71431	Gourmet brew basket: B-SAP, B-DAP, B-DGP	4 lbs. (1.9 kg)	$ 226

Model	Description	Ship Weight	List Price
A12 (UA12AL)	Fits 12 cup brewers. 4.5" bottom, 2.6" sidewall	6 lbs. (2.7 kg)	$ 30
U12 (UU12AL)	Universal filter. One size fits all. 3.5" bottom, 3.125" sidewall	6 lbs. (2.7 kg)	$ 30
Note: Packed 1,000 per box.			

Coffee Warmers

- Available in stainless steel.
- Multiple configurations available.

Model BW-2

Model BW-2SU

Model BW-3T

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
BW-2 (ABW-2)	2 side-by-side warmers, stainless steel with black warmers	120V / 200W / 1.7A	3.5" x 14" x 7" (9 cm x 36 cm x 18 cm)	4 lbs. (2 kg)	$ 100
BW-2SU (ABW-2SU)	2 warmers, step-up, stainless steel with black warmers	120V / 200W / 1.7A	5.5" x 7" x 14" (14 cm x 18 cm x 36 cm)	5.5 lbs. (2.5 kg)	$ 132
BW-3T (ABW-3T)	3 warmers, step-up	120V / 300W / 2.5A	13.25" x 7.5" x 20.5" (34 cm x 19 cm x 53 cm)	12 lbs. (5 kg)	$ 358
Note: Line cord included.					

Decanter/Airpot Brewer Accessories

GRINDMASTER BY GMCW

Airpots/Airpot Racks/ Condiment Holder

- Airpots allow beverages to maintain their quality and temperature for hours.
- Multiple styles of airpot racks to help customize your beverage station.

Model	Description	Ship Dimensions (H x W x D)	Ship Weight	List Price
Airpots				
70768-C	Case of (6) 2.2L, glass lined, push top airpots. Black push plate.	17" x 13.5" x 20.5" (43 cm x 34 cm x 52 cm)	25 lbs. (11 kg)	$ 406
70769-C	Case of (6) 2.2L, glass lined, push top airpots. Orange push plate.	17" x 13.5" x 20.5" (43 cm x 34 cm x 52 cm)	25 lbs. (11 kg)	$ 406
70762-C	Case of (6) 2.2L, glass lined, lever top airpots. Black top.	16.75" x 20.5" x 17" (42 cm x 52 cm x 43 cm)	26 lbs. (11.8 kg)	$ 302
70767-C	Case of (6) 2.2L, glass lined, lever top airpots. Orange top.	16.75" x 20.5" x 17" (42 cm x 52 cm x 43 cm)	26 lbs. (11.8 kg)	$ 302
70763-C	Case of (6) 3.0L, stainless steel lined, lever top airpots.	16.75" x 20.5" x 17" (42 cm x 52 cm x 43 cm)	26 lbs. (11.8 kg)	$ 430
AP-3	(1) 3.0L, 101 oz., glass lined, push top airpot. Black top.	11" x 15" x 17" (28 cm x 38 cm x 43 cm)	6 lbs. (3 kg)	$ 98 each
Note: Airpots are individually boxed in each case. "-C" indicates case.				
Airpot Racks & Complete Systems				
70620	Rack only - 2 inline	16.5" x 8" x 22.5" (42 cm x 20 cm x 57)	7 lbs. (3 kg)	$ 114
70759	Rack with lever top pots - 2 inline, black	18.25" x 8.5" x 36.5" (46 cm x 22 cm x 93 cm)	21 lbs. (9.5 kg)	$ 272
70577	Rack only - 2 side by side	9" x 13.5" x 11.5" (23 cm x 34 cm x 29 cm)	6 lbs. (2.7 kg)	$ 114
70659	Rack with lever top pots - 2 side by side	24.5" x 12.5" x 18.75" (62 cm x 32 cm x 48 cm)	16 lbs. (7.3 kg)	$ 268
70571	Rack only - 3 pot wide	9" x 20.5" x 11.75" (23 cm x 52 cm x 30 cm)	8 lbs. (4 kg)	$ 116
70651	Rack with lever top pots - 3 pot wide	29.5" x 12.5" x 27" (75 cm x 32 cm x 69 cm)	27 lbs. (12.3 kg)	$ 388
70576	2 pot riser	7" x 12" x 11.25" (18 cm x 31 cm x 29 cm)	4 lbs. (2 kg)	$ 62
70575	3 pot riser	7" x 18.75" x 11.25" (18 cm x 48 cm x 29 cm)	5 lbs. (2.3 kg)	$ 72
70655	Racks only - (2) inline 2 pot racks	16.5" x 8" x 22.5" (42 cm x 20 cm x 57 cm)	20 lbs. (9 kg)	$ 288
70665	Rack only - 4 pot = (2) 2 pot wide racks + (1) 2 pot riser	33.5" x 12.5" x 18.75" (85 cm x 32 cm x 48 cm)	20 lbs. (9 kg)	$ 326
70758	4 pot rack with (4) lever top pots - (2) 2 pot wide racks + (1) 2 pot riser	18.25" x 8.5" x 36.5" (46 cm x 22 cm x 93 cm)	36 lbs. (16.4 kg)	$ 496
70663	Rack only - 5 pot = (2) 3 pot wide racks + (1) 3 pot riser + (1) condiment holder	18.25" x 8.5" x 36.5" (46 cm x 22 cm x 93 cm)	26 lbs. (12 kg)	$ 372
70657	Rack only - 6 pot = (2) 3 pot wide racks + (1) 3 pot wide riser	18.25" x 8.5" x 36.5" (46 cm x 22 cm x 93 cm)	24 lbs. (11 kg)	$ 306
70757	6 pot rack with 6 lever top pots - (2) 3 pot wide racks + (1) 3 pot riser	38.25" x 15.75" x 29.5" (97 cm x 40 cm x 75 cm)	49 lbs. (22 kg)	$ 590
70611	Sign holder. Works with all 2 pot wide and 3 pot wide racks.	12" x 12" x 6" (31 cm x 31 cm x 15 cm)	2 lbs. (1 kg)	$ 38
Condiment Holder				
70583	Holds 2 cream or sugar canisters or multiple packets in rear compartment.	6.25" x 9.25" x 14" (16 cm x 24 cm x 36 cm)	1 lb. (0.4 kg)	$ 64

Shuttle®/Satellite Coffee Brewers

Shuttle® Coffee Brewers

- Brews into 1.5-gallon air gap insulated Shuttles®.
- Simple-to-operate brewing control panel offers different brewing capabilities & includes a hot water faucet.

Model P200E

Model P400E

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
P200E (AP-200E)	Single Shuttle® brewer (CS-LL Shuttle® included)	120V / 1750W / 14.6A	26" x 12" x 28" (66 cm x 30 cm x 71 cm)	55 lbs. (25 kg)	$ 1,566
P300E (AP-300E)	Single Shuttle® brewer (CS-LL Shuttle® included)	120/208V / 5000W / 24A 120/240V / 6600W / 28A	29.5" x 11" x 26" (75 cm x 28 cm x 66 cm)	55 lbs. (25 kg)	$ 1,766
P400E (AP-400E)	Dual Shuttle® brewer (2 CS-LL Shuttles® included)	120/208V / 5000W / 24A 120/240V / 6600W / 28A	29.5" x 22" x 26" (75 cm x 56 cm x 66 cm)	100 lbs. (45.4 kg)	$ 2,596
Electrical: Export voltage available.					

PrecisionBrew™ Digital Shuttle® Brewers Series 2.0

- Brews into 1.5-gallon air gap Shuttles®, 1.5-gallon Vacuum Insulated Shuttles®, or 3.0L airpots.
- Digitally controlled brewers.

Model PBVSA-430

Model PBIC-330

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
PB-330 (APB-330V2)	Single, digitally controlled brewer brews into (1) radiant heat, air insulated, 1.5 gallon CS-LL Shuttle® (included).	120/240V / 6600W / 28A 120/208V / 5000W / 24A	33" x 11" x 26" (83 cm x 28 cm x 66 cm)	55 lbs. (25 kg)	$ 1,980
PB-430 (APB-430V2)	Twin, digitally controlled brewer brews into (2) radiant heat, air insulated 1.5 gallon CS-LL Shuttles® (included).	120/240V / 6600W / 28A 120/208V / 5000W / 24A	33" x 27.5" x 22" (83 cm x 69 cm x 55 cm)	100 lbs. (45 kg)	$ 3,060
PBVSA-330 (APBVSA-330V2)	Single, digitally controlled brewer brews into (1) vacuum insulated, VS-1.5 Shuttle® (included) without stand.	120/240V / 6600W / 28A 120/208V / 5000W / 24A	33" x 11" x 26" (83 cm x 28 cm x 66 cm)	55 lbs. (25 kg)	$ 2,410
PBVSA-430 (APBVSA-430V2)	Twin, digitally controlled brewer brews into (2) vacuum insulated, VS-1.5 Shuttles® (included) without stand.	120/240V / 6600W / 28A 120/208V / 5000W / 24A	33" x 27.5" x 22" (83 cm x 69 cm x 55 cm)	100 lbs. (45 kg)	$ 3,296
PBIC-330 (APBIC-330V2)	Single, digitally controlled brewer brews into (1) VS-1.5S Shuttle® with stand (included).	120/240V / 6600W / 28A 120/208V / 5000W / 24A	43.5" x 12.5" x 21.5" (111 cm x 32 cm x 55 cm)	80 lbs. (37 kg)	$ 2,634
PBIC-430 (APBIC-430V2)	Twin, digitally controlled brewer brews into (2) VS-1.5S Shuttles® with stands (included).	120/240V / 6600W / 28A 120/208V / 5000W / 24A	33" x 27.5" x 22" (83 cm x 69 cm x 55 cm)	145 lbs. (66 kg)	$ 4,436
Electrical: Export voltage available.					

Accessories for Shuttle®/ Airpot Coffee Brewers

Model	Description	Ship Dimen.	Ship Wt.	List Price
CS-LL (ACS-LL)	1.5 gal. (5.7L) SS Shuttle®	12.5" (32 cm) 10.5" (27 cm) 16.25" (41 cm)	10.5 lbs. (4.7 kg)	$ 356
CW-1* (ACW-1)	Warmer for 1.5 gal. (5.7L) Shuttle® (7.5" / 19 cm tall)	12.5" (32 cm) 10.5" (27 cm) 16.5" (42 cm)	5.5 lbs. (2.5 kg)	$ 198
CS-LL/CW-1* (ACS-LL/CW-1)	1.5 gal. (5.7L) SS Shuttle® and warmer for 1.5 gal. (5.7L) Shuttle®	25" (64 cm) 10.5" (27 cm) 16.25" (41 cm)	16 lbs. (7.3 kg)	$ 554
CW-1H* (ACW-1H)	Taller warmer for 1.5 gal. Shuttle® (11.5" / 29 cm tall)	10" (25 cm) 16" (41 cm) 12" (31 cm)	8 lbs. (3.6 kg)	$ 278
AP-3 (AAP-3)	3.0L (101 oz.) airpot	11" (28 cm) 15" (38 cm) 17" (43 cm)	6 lbs. (3 kg)	$ 104
***Electrical:** 120V, 100W, 1A. Export voltage available.				

Model	Description	Ship Dimen.	Ship Wt.	List Price
AVS-1.5A (AVS-1.5A)	1.5 gal. (5.7L) vacuum insulated Shuttle®	17" (43 cm) 15.25" (39 cm) 11" (28 cm)	10 lbs. (4.5 kg)	$ 492
VS-1.5S (VS-1.5S)	1.5 gal. (5.7L) vacuum insulated Shuttle® with stand attached	25" (64 cm) 12.5" (32 cm) 17" (43 cm)	13 lbs. (5.9 kg)	$ 542
AVS-1.0A (AVS-1.0A)	1.0 gal. (3.8L) vacuum insulated Shuttle®	17" (43cm) 15.25" (39 cm) 11" (28 cm)	10 lbs. (4.5 kg)	$ 492
VS-1.0S (VS-1.0S)	1.0 gal. (3.8L) vacuum insulated Shuttle® with stand attached	25" (64 cm) 12.5" (32 cm) 17" (43 cm)	13 lbs. (5.9 kg)	$ 542
VS-S (VS-S)	Stand for vacuum insulated Shuttle®	12" (31 cm) 12.5" (32 cm) 16.5" (42 cm)	3.5 lbs. (1.6 kg)	$ 80

Shuttle®/Satellite Coffee Brewer Accessories & Options

Options[1] for Shuttle®/Airpot Brewers & PrecisionBrew™ Digital Shuttle® Brewers

Part No	Description	List Price
AOPT C29	200/208/240V 1Ph for P300	$ 286
AOPT C37	200V, 3Ph for P400	$ 586
AOPT C28	208/240V / 1Ph no neutral for P400	$ 306
AOPT 21AC	120 / 208V / 3Ph for Shuttle® brewers	$ 368
AOPT 21APB-120	Extra heater for 120V / 208 / 240V 1 Ph / 3 Ph PB-Col	$ 358
AOPT 21BC	208V/240V 3Ph w/ transformer P400	$ 586
AOPT 21APB	Extra heater for 208/240V 3Ph PB-COL Twin: Neutral	$ 358
AOPT C60K	Base, extended 12" for RAPS400/PBVSA-430	$ 312
AOPT C30K	Base, extended 12" for P300	$ 336
AOPT C40K	Base, extended 12" for P400	$ 336
AOPT C20K	Base, w/ 12" faucet clearance for P200E	$ 270
AOPT C11	Basket, brew 1.5 gal. SS in place of plastic	$ 100
AOPT C46	Basket, brew 2.0 gal. for P400/300	$ 34
AOPT 7300	Batch, half for P300	$ 228
AOPT 73T00	Batch, half for P400	$ 434
AOPT C44	Bracket, Shuttle® retaining for P300	$ 42
AOPT C43	Bracket, Shuttle® retaining for P400	$ 44
AOPT 71C00	Breaker, Vacuum for P400/P300	$ 454

[1]**Note:** Option prices in addition to base price.

Part No	Description	List Price
AOPT C70K	Base, extended 12" for RAPS300/PBVSA-300	$ 240
AOPT 120 3	Cord and plug, 120V / 1.8KW / 15A for Shuttle® brewers only	$ 86
AOPT 216	Faucet, Touch guard for hot water for Shuttle® brewers	$ 82
AOPT 4400	Feet, Flanged for P400 & P300	$ 138
AOPT 8	HC-2, Liquid hopper, 5 qts.	$ 118
AOPT 19	Legs, 4" metal for Shuttle® brewers	$ 42
AOPT C45	Legs, Bolt down adjustable for P400/300	$ 46
AOPT 47C00	Low Temp No Brew for P400 & P300	$ 472
AOPT 10-COL	Prison Pkg. for Shuttle® brewers	$ 158
AOPT C17	Retainer, Filter for 1.5 gallon brew basket for Shuttle® brewers	$ 54
AOPT C17-2	Retainer, Filter for 2.0 gallon brew basket for Shuttle® brewers	$ 76
AOPT 196	Sprayhead, sealed for P400/300 w/ OPT 73 or 73T only	$ 60
AOPT 196T	Sprayhead, sealed for P430/330	$ 60
AOPT C12	Switch, concealed brew for P400/300 per brew head	$ 44
AOPT C18	Switch, hidden master for P400/P300	$ 42
AOPT C14	Warmer, auto shut off for P400/300 per brew head	$ 118

[1]**Note:** Option prices in addition to base price.

Brew Baskets & Filter Papers for Shuttle®/Satellite Coffee Brewers

Model	Description	Ship Dimensions (H x W x D)	Ship Weight	List Price
ABB1.5P	Plastic brew basket - Shuttle® brewers	14" x 11" x 12" (36 cm x 28 cm x 31 cm)	2 lbs. (0.9 kg)	$ 24
ABB1.5SS	Stainless steel brew basket - Shuttle® brewers	14" x 11" x 12" (36 cm x 28 cm x 31 cm)	3 lbs. (1.4 kg)	$ 120
ABB1.5WP	Filter paper, 13 x 5 for ABB1.5P and SS brew basket. 500 per box.	8.5" x 12" x 9" (22 cm x 31 cm x 23 cm)	7 lbs. (3.2 kg)	$ 70
ABB2.0SS	Gourmet stainless steel brew basket - Shuttle® brewers	14" x 11" x 12" (36 cm x 28 cm x 31 cm)	3 lbs. (1.4 kg)	$ 148
ABB2.0WP	Filter paper, 14 x 6 for ABB2.0SS. 500 per box.	9.5" x 15" x 9.5" (24 cm x 38 cm x 24 cm)	9 lbs. (4.1 kg)	$ 70

Filter Papers for Urns, Satellite Coffee Brewers & Iced Tea Brewers

Model	Description	Ship Weight	List Price
718 (F718U)	Fits 3 gal. coffee urns. 18" (45.7 cm) diameter, 6" (15.2 cm) bottom	10 lbs. (4.54 kg)	$ 84
820 (F820U)	Fits 5-6 gal. coffee urns. 20" (50.8 cm) diameter, 8" (20.3 cm) bottom	14 lbs. (6.354 kg)	$ 100
923 (F923U)	Fits 9-10 gal. coffee urns. 23" (58 cm) diameter, 8" (20.3 cm) bottom	17 lbs. (7.71 kg)	$ 156
2511 (F2511)	Fits special 10 gal. coffee urns. 25" (63.5 cm) diameter, 11" (27.9 cm) bottom	20 lbs.(9.07 kg)	$ 156
412 (F412U)	Fits satellite coffee brewers, iced tea brewers. 12.75" (32.4 cm) diameter, 5" (12.7 cm) bottom	6 lbs. (2.72 kg)	$ 68
514 (F514U)	Fits satellite coffee brewers, iced tea brewers. 14" (35.6 cm) diameter, 5" (12.7 cm) bottom	7 lbs. (3.18 kg)	$ 68

Note: Packed 500 per box

Coffee Urns

Single 3 Gallon Urns

- New solid-state dual water level control.
- New Silicone Fittings - Prevents corrosion, pitting & leakage.

Model FE75N

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
FE75N (101805)	Adjustable by-pass, automatic agitator, solid state timer	120/240V / 7KW / 29A / 1Ph 120/208V / 5.3KW / 26A / 1Ph	H: 28.5" (74.5 cm) W: 21.5" (54.6 cm) D: 17.5" (44.5 cm)	75 lbs. (34 kg)	$ 3,344
FE75N 3 Phase (101806)	Adjustable by-pass, automatic agitator, solid state timer	120/240V / 6KW / 15A / 3Ph 120/208V / 4.5KW / 12A / 3Ph			$ 3,510
FE75N 1 Phase (101810)	Adjustable by-pass, automatic agitator, solid state timer	240V / 7KW / 1 Ph / 2W + GR / 30A 208V/ 5.3 KW / 1 Ph / 2W + GR / 26A			$ 3,570
CL75N (118802)	Adjustable by-pass, push button agitator, electro-mechanical timer	120/240V / 7KW / 29A / 1Ph 120/208V / 5.3KW / 26A / 1Ph			$ 3,118
CL75N 3 Phase (118810)	Adjustable by-pass, push button agitator, electro-mechanical timer	240V / 6KW / 3 Ph / 3W + GR / 15A 208V / 4.5 KW / 3 Ph / 3W + GR / 14A			$ 3,378
CL75N 1 Phase (118806)	Adjustable by-pass, push button agitator, electro-mechanical timer	240V / 7KW / 1 Ph / 2W + GR / 30A 208V / 5.4 KW / 1 Ph / 2W + GR / 26A			$ 3,332

Plumbing: .25" (6.35 mm) water line required • **Electrical:** Specify voltage, comes standard in 1 phase, specify 3 phase if needed, export voltage available. • Order #718 filters • Stainless steel construction

Twin 3 Gallon Urns

- New modern look & user friendly operation.
- Silicone Fittings - Prevents corrosion, pitting & leakage.

Model FE100N

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
FE100N (102417)	Adjustable by-pass, automatic agitator, solid state timer	120/240V / 8KW / 34A / 1Ph 120/208V / 6KW / 17A / 1Ph	17.5" (44.5 cm) 28.5" (74.5 cm) 33.5" (85 cm)	100 lbs. (45.4 kg)	$ 3,990
FE100N 3 Phase (102418)	Adjustable by-pass, automatic agitator, solid state timer	120/240V / 8KW / 20A / 3Ph 120/208V / 6KW / 17A / 3Ph			$ 4,168
FE100N 1 Phase (102416)	Adjustable by-pass, automatic agitator, solid state timer, half-batch brewing	120/240V / 8KW / 1 Ph / 3W + GR / 34A 120/208V / 6KW / 1 Ph / 3W + GR / 29 A			$ 4,122
FE100N 3 Phase (102423)	Adjustable by-pass, automatic agitator, solid state timer, double service faucets, gauge both sides	120/240V / 8KW / 3 Ph / 4W + GR / 20A 120/208V / 6KW / 3 Ph / 4W + GR / 18 A			$ 4,450
FE100N 1 Phase (102425)	Adjustable by-pass, automatic agitator, solid state timer	240V / 8KW / 1 Ph / 2W + GR / 34A 208V / 6 KW / 1 Ph / 2W + GR / 29A			$ 4,260
CL100N (117402)	Adjustable by-pass, push button agitator, electro-mechanical timer	120/240V / 7KW / 29A / 1Ph 120/208V / 5.3KW / 26A / 1Ph			$ 3,644
CL100N 1 Phase (117382)	Adjustable by-pass, push button agitator, electro-mechanical timer	240V / 7KW / 1 Ph / 2W + GR / 30A 208V / 5.3 KW / 1 Ph / 2W + GR / 26A			$ 3,890

Plumbing: .25" (6.35 mm) water line required • **Electrical:** Specify voltage, comes standard in 1 phase, specify 3 phase if needed, export voltage available.• Order #718 filters • Stainless steel construction

Coffee Urns & Chinese Hot Tea Urns

Twin 6 Gallon Urns

- Two brew buttons - This feature allows you to brew either 1 or 2 lbs. of coffee at a time by the push of the 1 or 2 lbs. brew button.

Model FE200

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
FE200 (104400)	Adjustable by-pass, automatic agitator, solid state timer. 1 & 2 lbs. brew.	120/240V / 10KW / 42A / 1Ph 120/208V / 7.5KW / 38A / 1Ph	37.5" (95 cm) 19.5" (49.5 cm) 33" (83.8 cm)	130 lbs. (59 kg)	$ 5,570
FE200 (104403)	Adjustable by-pass, automatic agitator, solid state timer. 1 & 2 lbs. brew, with 1 Ph conversion kit.	120/240V / 10KW / 25A / 3 Ph / 4W + GR		140 lbs. (64 kg)	$ 5,766
FE200 3 Phase (104415)	Adjustable by-pass, automatic agitator, solid state timer. 1 & 2 lbs. brew.	120/240V / 10KW / 24A / 3Ph 120/208V / 7.5KW / 22A / 3Ph		130 lbs. (59 kg)	$ 5,750
CL200 (119801)	Adjustable by-pass, push button agitator, electro-mechanical timer, 2 lbs. brew only.	240V / 10KW / 25A / 3 Ph / 3W + GR 208V / 7.5KW / 22A / 3 Ph / 3W + GR		130 lbs. (59 kg)	$ 5,604
CL200 (119400)	Adjustable by-pass, push button agitator, electro-mechanical timer, 2 lbs. brew only.	120/240V / 10KW / 42A / 1Ph 120/208V / 7.5KW / 38A / 1Ph		130 lbs. (59 kg)	$ 5,438

Plumbing: .25" (6.35 mm) water line required • Stainless steel construction • Order #820 filters.
Electrical: Specify voltage, comes standard in 1phase, specify 3 phase if needed, export voltage available.

Twin 10 Gallon Urns

- Automatic water refill
- Brews in 3 pound batches.

Model FE300

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
FE300 (108403)	Adjustable by-pass, automatic agitator, solid state timer	120/240V / 15KW / 35A / 3Ph 120/208V / 11.5KW / 30A / 3Ph	35" (89 cm) 42" (106.7 cm) 21.5" (54.6 cm)	170 lbs. (77.1 kg)	$ 6,908

Plumbing: .25" (6.35 mm) water line required. **Electrical:** Available in 3 Phase only. Export voltage available. • Stainless steel construction • Order #923 filters

Chinese Hot Tea Urns

- New Silicone Fittings - Prevents corrosion, pitting & leakage.

Model CH100N

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
CH75N (119882)	Single, 3-gallon (11.4L) Electro-Mechanical timer	120/240V / 7KW / 29A / 1Ph 120/208V / 5.3KW / 26A / 1Ph	H: 28.5" (74.5 cm) W: 21.5" (54.6 cm) D: 17.5" (44.5 cm)	75 lbs. (34 kg)	$ 3,176
CH100N (119905)	Twin, 3-gallon (11.4L) Electro-Mechanical timer	120/240V / 8KW / 34A / 1Ph 120/208V / 6KW / 29A / 1Ph	H: 28.5" (74.5 cm) W: 33.5" (85 cm) D: 17.5" (44.5 cm)	100 lbs. (45.4 kg)	$ 3,690

Plumbing: .25" (6.35 mm) water line required. • Stainless steel construction • Baskets not included with these models - designed for tea.
Electrical: Specify voltage, comes standard in 1 phase, export voltage available.

pricing effective January 1, 2014
www.gmcw.com

Coffee Urns

PrecisionBrew™ Barista Series™ Urns

- PrecisionBrew™ technology gives user complete control over the brew cycle, contact time, and brew temperature.
- Three batch sizes per liner.
- Dual wall, air insulated, electropolished liners hold coffee between 180°F and 185°F.

Model PB-8303E

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
PB-8113E (APB-8113E)	One, 3-gallon (11.4L) liner. Pump style only.	8.0KW / 120/208V / 38A / 1Ph	36" x 26" x 22" (91 cm x 66 cm x 56 cm)	105 lbs. (48 kg)	$ 8,404
PB-8103E (APB-8103E)	Two liners, 3-gallons (11.4L) each. Heat exchange style standard. Optional pump style available.	11.5KW / 120/208V / 55A / 1Ph	41" x 42" x 26" (104 cm x 107 cm x 66 cm)	145 lbs. (66 kg)	$ 10,760
PB-8303E (APB-8303E)	Three liners, 3-gallons (11.4L) each. Pump style only.	11.5KW / 120/208V / 55A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	195 lbs. (89 kg)	$ 18,380

AMW Space Saver Urns

- Insulated body.
- Controls located under body saves space.
- Fresh Water Style: Single and Twin liner models.
- Pump Style: Triple liner models.

Model 8103(E)

Model 8303(E)

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
Single Space Saver Urns					
8113(E) (A8113E)	One, 3-gallon (11.4L) liner	8.0KW / 120/208V / 38A / 1Ph	36" x 26" x 22" (91 cm x 66 cm x 56 cm)	105 lbs. (48 kg)	$ 6,998
8116(E) (A8116E)	One, 6-gallon (22.7L) liner	11.5KW / 120/208V / 55A / 1Ph	42" x 45" x 26" (107 cm x 114 cm x 66 cm)	145 lbs. (66 kg)	$ 8,070
80110(E) (A80110)	One, 10-gallon (38L) liner	15KW / 120/208V / 72A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	150 lbs. (68 kg)	$ 9,672
Twin Space Saver Urns					
8103(E) (A8103E)	Two liners, 3-gallons (11.4L) each	11.5KW / 120/208V / 55A / 1Ph	41" x 42" x 26" (104 cm x 107 cm x 66 cm)	145 lbs. (66 kg)	$ 9,210
8106(E) (A8106E)	Two liners, 6-gallons (22.7L) each	15KW / 120/208V / 72A / 1Ph	41" x 42" x 26" (104 cm x 107 cm x 66 cm)	195 lbs. (89 kg)	$ 10,198
81010(E) (A81010E)	Two liners, 10-gallons (38L) each	15KW / 120/208V / 72A / 1Ph	41" x 42" x 26" (104 cm x 107 cm x 66 cm)	210 lbs. (95 kg)	$ 10,956
Triple Space Saver Urns					
8303(E) (A8303E)	Three liners, 3-gallons (11.4L) each	11.5KW / 120/208V / 55A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	195 lbs. (89 kg)	$ 15,318
8306(E) (A8306E)	Three liners, 6-gallons (22.7L) each	15KW / 120/208V / 72A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	240 lbs. (109 kg)	$ 17,070
83010(E) (A83010E)	Three liners, 10-gallons (38L) each	15KW / 120/208V / 72A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	275 lbs. (125 kg)	$ 19,356

Electrical: Specify 3 phase if needed. Export voltage available. See option chart on page 14 for prices.

Coffee Urns

AMW Midline Heat Exchange Urns

- Freshwater brewing - Water used for brewing is fresh water that is heated in a coiled, nickel-plated, copper heat exchange tube inside the urn. As water passes through the heat exchanger coil it is heated to optimum brew temperature.
- Automatic coffee agitation.

Model 7413E

Model 7443E

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
Single Midline Heat Exchange Urns					
7413E* (A7413E)	One, 3-gallon (11.4L) liner	5.5KW / 120/208V / 26A / 1Ph	36" x 26" x 22" (91 cm x 66 cm x 56 cm)	90 lbs. (41 kg)	$ 3,530
7416E (A7416E)	One, 6-gallon (22.7L) liner	8.5KW / 120/208V / 41A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	125 lbs. (57 kg)	$ 4,632
74110E (A74110E)	One, 10-gallon (38L) liner	15 KW / 120/208V / 72A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	135 lbs. (61 kg)	$ 5,980
Twin Midline Heat Exchange Urns					
7443E* (A7443E)	Two liners, 3-gallons (11.4L) each	6.0KW / 120/208V / 29A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	115 lbs. (52 kg)	$ 4,412
7446E* (A7446E)	Two liners, 6-gallons (22.7L) each	8.5KW / 120/208V / 41A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	155 lbs. (70 kg)	$ 5,392
74410E (A74410E)	Two liners, 10-gallons (38L) each	15 KW / 120/208V / 72A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	165 lbs. (75 kg)	$ 6,510

Electrical: Specify 3 phase if needed. Export voltage available. See option chart on page 14 for prices.
*** Shipboard configuration available:** Specify A7413EX SHP ($ 3,906); A7443EX SHP ($ 4,404); A7446EX SHP ($ 5,372)

AMW Midline Pump Urns

- Pump style brewing - A pump draws water from the tank and uses that water to brew coffee.
- Automatic coffee agitation.

Model 7713(E)

Model 7303(E)

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
Single Midline Pump Urns					
7713(E) (A7713E)	One, 3-gallon (11.4L) liner	5.5KW / 120/208V / 26A / 1Ph	36" x 26" x 22" (91 cm x 66 cm x 56 cm)	90 lbs. (41 kg)	$ 3,500
7716(E) (A7716E)	One, 6-gallon (22.7L) liner	8.5KW / 120/208V / 41A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	125 lbs. (57 kg)	$ 4,632
77110(E) (A77110E)	One, 10-gallon (38L) liner	11.5KW / 120/208V / 55A / 1Ph	42" x 41" x 26" (107 cm x 104 cm x 66 cm)	135 lbs. (61 kg)	$ 5,980
Twin Midline Pump Urns					
7773(E) (A7773E)	Two liners, 3-gallons (11.4L) each	5.5KW / 120/208V / 26A / 1Ph	42" x 41" x 26" (104 cm x 107 cm x 66 cm)	115 lbs. (52 kg)	$ 4,212
7776(E) (A7776E)	Two liners, 6-gallons (22.7L) each	8.5KW / 120/208V / 41A / 1Ph	42" x 41" x 26" (104 cm x 107 cm x 66 cm)	155 lbs. (70 kg)	$ 5,444
77710(E) (A77710E)	Two liners, 10-gallons (38L) each	11.5KW / 120/208V / 55A / 1Ph	41" x 57" x 28" (104 cm x 107 cm x 66 cm)	165 lbs. (75 kg)	$ 6,510
Triple Midline Pump Urns					
7303(E) (A7303E)	Three liners, 3-gallons (11.4L) each	6.0KW / 120/208V / 29A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	160 lbs. (73 kg)	$ 7,378
7306(E) (A7306E)	Three liners, 6-gallons (22.7L) each	8.5KW / 120/208V / 41A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	195 lbs. (89 kg)	$ 10,052
73010(E) (A73010E)	Three liners, 10-gallons (38L) each	15KW / 120/208V / 72A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	205 lbs. (93 kg)	$ 12,114

Electrical: Specify 3 phase if needed. Export voltage available. See option chart on page 14 for prices.

Coffee Urns

AMW Tamper Resistant Urn (High Volume)

- No exposed fasteners.
- All components under lock and key.
- Permanent filter baskets: No filter papers needed.
- High speed brewing: two independent brew heads.

Model 67710(E)

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
67710(E) (A67710E)	Two liners, 10-gallons (38L) each	15KW / 120/208V / 72A / 1Ph	41" x 42" x 26" (104 cm x 107 cm x 66 cm)	275 lbs. (125 kg)	$ 14,024

AMW High Speed High Volume Urn

- Simultaneous two side brewing.
- Low water cutoff.
- Automatic air agitation.
- Pump style urn.

Model 87710(E)

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
87710(E) (A87710E)	Two liners, 10-gallons (38L) each	15KW / 120/208V / 72A / 1Ph	41" x 57" x 28" (104 cm x 145 cm x 71 cm)	220 lbs. (100 kg)	$ 14,170

AMW Banquet Brewing Systems

- Coffee brewing and holding urn systems consisting of one or two high speed automatic coffee brewing urns of twin 10-gallon coffee capacity and a holding urn with multiple dispensing faucets.
- As little as 200 or up to 4,000 cups of coffee may be brewed and held at any one time ready for serving.

Model AMV-60(E)

Model	Description	Electrical	Ship Dimensions (H x W x D)	Ship Weight	List Price
AMV-60(E)	60-gallon (227L) capacity One 40-gallon (151L) holding tank	15KW / 120/208V / 72A per urn - 1Ph	2 skids: 42" x 27" x 41" (107 cm x 69 cm x 104 cm) 43" x 27" x 54" (109 cm x 69 cm x 137 cm)	460 lbs. (209 kg) ships in 2 containers	$ 19,890
AMV-80(E)	80-gallon (303L) capacity One 60-gallon (227L) holding tank	15KW / 120/208V / 72A per urn - 1Ph	60.5" x 42" x 29" (154 cm x 107 cm x 74 cm)	480 lbs. (218 kg) ships in 2 containers	$ 21,032
AMV-120(E)	120-gallon (454L) capacity One 80-gallon (303L) holding tank	15KW / 120/208V / 72A per urn - 1Ph	56.25" x 65" x 29" (143 cm x 165 cm x 74 cm)	690 lbs. (313 kg) ships in 3 containers, 2 skids	$ 36,644
AMV-160(E)	160-gallon (606L) capacity One 120-gallon (454L) holding tank	15KW / 120/208V / 72A per urn - 1Ph	67" x 65" x 29" (170 cm x 165 cm x 74 cm)	715 lbs. (324 kg) ships in 3 containers, 2 skids	$ 38,322

Coffee Urn Options & Accessories

AMW Urn Options

Part No	Description	List Price
AOPT 21AU	120/208V 3Ph for midline 3 gal. urns	$ 368
AOPT 21AU6	120/208V 3Ph for all midline 6 gal. heat exchange urns	$ 360
AOPT 21AU610	120/208V 3Ph for all midline 6 gal. pump urns	$ 360
AOPT 21BU3	208/240V / 3Ph / 3W	$ 400
AOPT 21BU610	208/240V / 3 Ph / 3W midline 6/10 gal urn	$ 400
AOPT 21CU3	480V / 3Ph / 3W midline 3 gal. urn	$ 664
AOPT 21CU610	480V / 3Ph / 3W midline 6/10 gal urns	$ 638
AOPT 21CUTL3	480V / 3Ph / 3W topline 3 gal. urn	$ 652
AOPT 21CUTL610	480V / 3Ph / 3W topline 6/10 gal urns	$ 638
AOPT 21DOO	480V / 3Ph / 3W for AMV 60/80	$ 664
AOPT 21EOO	480V / 3ph / 3W for AMV 120/160	$ 1,006
AOPT 5201 to 5206	Box left *Mid line urns	n/c
AOPT 7100	Breaker, Vacuum for urns	$ 452
AOPT 13	Cord and plug, 120V w/ NEMA 5-15 16AWG for urns only	n/c
AOPT 14	Cord and plug, 120V / 15A / 14AWG for urns only	n/c
AOPT 93L3 to 93WB10	Cover, control w/ lock for all SS urns *specify model	$ 338
AOPT 45	Feet, bullet, drilled and tapped for all urns	$ 74
AOPT 4400U	Feet, Flanged for urns	$ 138
AOPT 5700	Jug fill, gravity	$ 568
AOPT 70S100	Jug fill, high speed for AMV systems	$ 3,178
AOPT 70S100L	Jug fill, high speed left side for AMV	$ 3,178
AOPT 70T100	Jug fill, high speed right side for 6/10 gal space saver urns	$ 3,716
AOPT 324	1.8 KW / 120V / 1 Ph / 5-15 Plug for 810E WB	$ 96

Part No	Description	List Price
AOPT 70T100L	Jug fill, high speed for space saver urns	$ 3,716
AOPT 70T200L	Jug fill, high speed for triple space saver urns	$ 6,056
AOPT 70T3	Jug fill, high speed right side for triple space saver urns	$ 6,056
AOPT 5800	Legs, higher for urns specify size	$ 160
AOPT 47UOO	Low Temp No Brew - single & twin	$ 484
AOPT 47U01	Low Temp No Brew - triple and 87710 urns	$ 504
AOPT 12100	Overfill protection for 40 and 60 gallon holding tanks	$ 968
AOPT 12101	Overfill protection for 80 and 120 gallon holding tanks	$ 1,252
AOPT 10	Prison package for twin highline urns 3, 6, 10 gal.	$ 1,024
AOPT 10B	Prison package for twin midline urns 6 and 10 gal.	$ 1,004
AOPT 10B3	Prison package for twin midline urns 3 gal.	$ 1,004
AOPT 10SB610	Prison package for single 6 and 10 gallon midline urns	$ 1,004
AOPT 10SSS	Prison package for single space saver urns	$ 1,004
AOPT 10WB	Prison package for AMW water boiler	$ 1,004
AOPT DS101 to DS108	Service, double faucets, gauge opr only for mid/top urns; Specify model	$ 1,586
AOPT DS201 to DS206	Service, double faucets, gauge both sides for mid/top urns; Specify model	$ 1,706
AOPT TS101 to TS104	Service, double faucets, gauge opr sides only for triple urn; Specify model	$ 1,704
AOPT TS201 to TS206	Service, double faucets, gauge both sides for triple urn; Specify model	$ 2,076
AOPT 7700	Shank, extension	$ 162
AOPT 2200	Transformer for freshwater urns 2 wire	$ 174
AOPT 2200P	Transformer for pump urns 2 wire	$ 344

Brew Baskets and Filter Papers for Urns

Model	Description	List Price
3 Gallon Urn Brew Baskets and Filter Papers		
ABB3 (ABB3)	Brew basket, 3 gal. urn	$ 102
ABB3WP (ABB3WP)	Filter paper, 3 gal. urn. 500 per box.	$ 84
ABB3-1.5 (ABB3-1.5)	Brew basket, 1/2 batch, 3 gal. urn	$ 196
ABB2.0WP (ABB2.0WP)	Filter paper for ABB3-1.5. 500 per box.	$ 70
A#153 (A#153)	Brew basket, permanent SS screen, 3 gal. urn	$ 226

Model	Description	List Price
6 Gallon Urn Brew Baskets and Filter Papers		
ABB6 (ABB6)	Brew basket, 6 gal. urn	$ 138
ABB6WP (ABB6WP)	Filter paper, 6 gal. urn. 500 per box.	$ 100
ABB6-3 (ABB6-3)	Brew basket, 1/2 batch, 6 gal. urn	$ 166
ABB3WP (ABB3WP)	Filter paper for ABB6-3. 500 per box.	$ 84
A#156 (A#156)	Brew basket, permanent SS screen, 6 gal. urn	$ 242

Model	Description	List Price
10 Gallon Urn Brew Baskets and Filter Papers		
ABB810 (ABB810)	Brew basket, 10 gal. urn	$ 166
ABB6WP (ABB6WP)	Filter paper for ABB810-6. 500 per box.	$ 100
ABB810-6 (ABB810-6)	Brew basket - 1/2 batch, 10 gal. urn	$ 188
ABB810WP (ABB810WP)	Filter paper, 10 gal. urn. 500 per box.	$ 156
A#158 (A#158)	Brew basket permanent SS screen, 10 gal. urn	$ 302

Hot Water Boilers & Dispensers

ME & CME (Chinese label) Water Boilers

- Automatic refill system.
- Precision multi-setting thermostat with hold setting.

Model ME10EN

Model	Description	Dimensions (H x W x D)	Ship Weight	List Price
ME10EN - 120V / 1Ph (121505)	Electric, 10-gallon (37.8L)	26" x 18" x 19.75" (66 cm x 45.7 cm x 50 cm)	45 lbs. (20.4 kg)	$ 1,932
ME10EN - 240V / 1 Ph (121511)	Electric, 10-gallon (37.8L)	26" x 18" x 19.75" (66 cm x 45.7 cm x 50 cm)	45 lbs. (20.4 kg)	$ 1,814
ME10EN - 240V / 3 Ph (121521)	Electric, 10-gallon (37.8L)	26" x 18" x 19.75" (66 cm x 45.7 cm x 50 cm)	45 lbs. (20.4 kg)	$ 2,184
CME10EN* -120V / 1 Ph (121701)	Electric, 10-gallon (37.8L)	26" x 18" x 19.75" (66 cm x 45.7 cm x 50 cm)	45 lbs. (20.4 kg)	$ 1,918
CME10EN* -240V / 1 Ph (121711)	Electric, 10-gallon (37.8L)	26" x 18" x 19.75" (66 cm x 45.7 cm x 50 cm)	45 lbs. (20.4 kg)	$ 1,918
ME15EN - 240V / 3 Ph (121571)	Electric, 15-gallon (56.8L)	30.5" x 18" x 19.75" (77.5 cm x 45.7 cm x 50 cm)	50 lbs. (22.7 kg)	$ 2,224
ME15EN - 120V / 1 Ph (121574)	Electric, 15-gallon (56.8L)	30.5" x 18" x 19.75" (77.5 cm x 45.7 cm x 50 cm)	50 lbs. (22.7 kg)	$ 2,022
ME15EN - 240V / 1 Ph (121561)	Electric, 15-gallon (56.8L)	30.5" x 18" x 19.75" (77.5 cm x 45.7 cm x 50 cm)	50 lbs. (22.7 kg)	$ 2,082
CME15EN* - 120V / 1 Ph (121751)	Electric, 15-gallon (56.8L)	30.5" x 18" x 19.75" (77.5 cm x 45.7 cm x 50 cm)	50 lbs. (22.7 kg)	$ 1,894
CME15EN* - 240V / 1 Ph (121771)	Electric, 15-gallon (56.8L)	30.5" x 18" x 19.75" (77.5 cm x 45.7 cm x 50 cm)	50 lbs. (22.7 kg)	$ 2,082
CME15EN* - 240V / 3 Ph (121775)	Electric, 15-gallon (56.8L)	30.5" x 18" x 19.75" (77.5 cm x 45.7 cm x 50 cm)	50 lbs. (22.7 kg)	$ 2,390

Electrical: Specify voltage, 120V, 1.8KW; 208V, 5.3KW; 240V, 7KW, 1Ph, export voltage available. **Plumbing:** .25" (6.35 mm) water line required
• Indicates Chinese label.

Portable Coffee Holding Urns, Portable Hot Water Boilers

Model CS113

Model	Description	Dimensions (H x Diameter)	Ship Weight	List Price
CS113 (431500)	3 gallon (11.4L)	21.5" x 11" diameter (54.6 cm x 28 cm)	15 lbs. (6.8 kg)	$ 910
CS115 (432500)	5 gallon (18.9L)	27.5" x 11" diameter (70 cm x 28 cm)	18 lbs. (8.2 kg)	$ 976

Electrical: 120V, 1.4KW, 11.6A Line cord included • Stainless steel construction.

Bulk Dispensers

Model BD505SS

Model	Description	Dimensions (H x W x D)	Ship Weight	List Price
BD505SS (ABD505SS)	5 gallon (18.9L) heated bulk dispenser	25" x 12.5" x 17" (64 cm x 32 cm x 43 cm)	18 lbs. (8.2 kg)	$ 736
Options				
AOPT177	Thermostat and heat lamp, 75W / 120V			$ 444

Hot Water Boilers & Dispensers

Hot Water Dispensers

- Instant automatic water refill
- Energy efficient system - Keeps water temperature constant every time.

Model HWD5PC-BL

Model HWD2

Model	Description	Dimensions (H x W x D)	Ship Weight	List Price
HWD2 120V / 1Ph (080500L)	Stainless Steel, 2-gallon (7.6L)	20" x 9.25" x 21.25" (51 cm x 23.5 cm x 54 cm)	24 lbs. (10.9 kg)	$ 1,018
HWD2 220/240V / 1 Ph (080545L)	Stainless Steel, 2-gallon (7.6L)	20" x 9.25" x 21.25" (51 cm x 23.5 cm x 54 cm)	24 lbs. (10.9 kg)	$ 1,146
HWD3 Black 120V / 1 Ph (080560L)	Black, 3-gallon (11.4L)	24" x 9.25" x 21.25" (61 cm x 23.5 cm x 54 cm)	42 lbs. (19.1 kg)	$ 1,252
HWD3 220/240V / 1 Ph (080562L)	Black, 3-gallon (11.4L), USA	24" x 9.25" x 21.25" (61 cm x 23.5 cm x 54 cm)	42 lbs. (19.1 kg)	$ 1, 362
HWD3 220/240V / 1 Ph (080563L)	Black, 3-gallon (11.4L), Export	24" x 9.25" x 21.25" (61 cm x 23.5 cm x 54 cm)	42 lbs. (19.1 kg)	$ 1,362
HWD5 120V / 1 Ph (080582L)	Black, 5-gallon (18.9L)	30" x 9.25" x 21.25" (76 cm x 23.5 cm x 54 cm)	42 lbs. (19.1 kg)	$ 1,486
HWD5PC 120V / 1 Ph (080585L)	Black, 5-gallon (18.9L) with portion control	30" x 9.25" x 21.25" (76 cm x 23.5 cm x 54 cm)	42 lbs. (19.1 kg)	$ 1,606

Plumbing: .25" (6.35 mm) water line required • **Electrical:** Line cord included; HWD2/3: 120V, 18.KW, 15A, 240V, 3 KW, 20A; HWD5/5PC: 120V, 18.KW, 15A, 240V, 6.6 KW, 30A; Export voltage available. • Stainless steel construction

Heavy Duty Hot Water Boilers

- Water temperature is maintained between 190°F and 200°F (88°C and 93°C)
- Water compartment automatically refills and reheats as necessary.
- Dial thermometer with color-marked temperature zone.

Model 815(E)

Model	Description	Dimensions (H x W x D)	Ship Weight	List Price
810(E) (A810E)	10-gallon (37.8L) capacity 120 / 208 / 240V 1Ph	22.5" x 18" x 15" (57 cm x 46 cm x 38 cm)	82 lbs. (37 kg)	$ 2,034
815(E) (A815E)	15-gallon (56.8L) capacity 120 / 208 / 240V 1Ph	24" x 18" x 15" (61 cm x 46 cm x 38 cm)	85 lbs. (39 kg)	$ 2,076
830(E) (A830E)	30-gallon (114L) capacity 120 / 208 / 240V 1Ph	27" x 24.5" x 20.25" (69 cm x 62 cm x 51 cm)	125 lbs. (57 kg)	$ 2,838
850(E) (A850E)	50-gallon (189L) capacity 120 / 208 / 240V 1Ph	32" x 24.5" x 20.25" (81 cm x 62 cm x 51 cm)	145 lbs. (66 kg)	$ 3,340

Plumbing: 3/8" FPT water inlet • **Electrical:** Line cord not included; standard voltage is 120/240V or 120/208V single phase 3 wire (neutral wire required). Export voltage available. • Stainless steel construction

Soluble Beverage Dispensers

Cecilware BY GMCW

Soluble Coffee Dispensers

- Adjustable product strength – Product strength can be quickly adjusted by the turn of a dial.
- Fast Flow – Dispenses 30% faster, reducing wear and tear on major components.

Model Java Giant 2

Model Java 2 QB-D3

Model Java 2QB

Model	Series	Number of Hoppers & Capacity[3]	Electrical	Tank Cap.	Burst Cap.[2]	Dimensions (H x W x D)	Ship Weight	List Price
High Volume Soluble Coffee Dispensers								
Java Jr-PC-HP[1] (080360L)	High Volume	Two 2 lbs. (Two 1 kg)	208V, 4KW, 19A, 1Ph	6 gal. (22.7L)	98	33" x 11" x 22" (84 cm x 28 cm x 56 cm)	90 lbs. (41 kg)	$ 6,498
Java Giant 2[1] (080390L)	High Volume	Two 3 lbs. (Two 2.5 kg)	230V, 6KW, 26A, 1Ph	8.5 gal. (32.1L)	150	40.5" x 14" x 24.25" (103 cm x 36 cm x 62 cm)	155 lbs. (70 kg)	$ 8,694
Decanter/Cup Soluble Coffee Dispensers								
Java 2 QB-D w/ 1 Dispense Head (08033GL)	Soluble	Two 14 oz. (Two .4 kg)	120V, 1.7KW, 15A 240V, 3.8KW, 20A	1 gal. (3.7L)	24	22" x 8" x 17" (56 cm x 20 cm x 43 cm)	51 lbs. (23 kg)	$ 2,590
Java 2 QB-D2[1] **w/ 1 Dispense Head** (08034EL)	Soluble	Two 14 oz. (Two .4 kg)	120V, 1.7KW, 15A 240V, 3.8KW, 20A	1 gal. (3.7L)	24	23.5" x 8" x 17" (30 cm x 20 cm x 43 cm)	21 lbs. (23 kg)	$ 2,988
Java 2 QB-D3 w/1 Dispense Head (08033HL)	Soluble	Two 14 oz. (Two .4 kg)	120V, 1.7AKW, 15A 240V, 3.8KW, 20A	1 gal. (3.7L)	24	23.5" x 8" x 17" (60 cm x 20 cm x 43 cm)	51 lbs. (23 kg)	$ 2,656
Satellite/Airpot Soluble Coffee Dispensers								
Java 2 QB (080348L)	Soluble	Two 2 lbs. (Two 1 kg)	120V, 1.5KW, 15A 240V, 3.5KW, 20A	3.8 gal. (14.3L)	78	34.5" x 10" x 19.37" (88 cm x 25 cm x 49 cm)	75 lbs. (34 kg)	$ 3,098

Plumbing: .25" (6.35 mm) water line required. **Electrical:** Export voltage available.
[1]**Label** not supplied with unit. Customer must supply own label.
[2]**Burst Cap.** based on 6 oz. cups.
[3]**Coffee:** 2 & 3 lbs. (1 kg & 1.36 kg) hoppers are equivalent to 5.5 lbs. (2.5 kg) and 8 lbs. (3.63 kg) cappuccino hoppers.
[4]**Java 2 QB:** Choose satellite or airpot.
Finish: Stainless steel. **Note:** non-lit door **Number Of Warmers:** Java 2 QB-D - 0, Java 2 QB-D1 - 1, Java 2 QB-D2 - 2, Java 2 QB-D3 - 3, Java 2 QB-DC - 0.

Espresso Machines & Accessories

Cecilware BY GMCW

Venezia II Espresso Machines

- Dispense in automatic or semi automatic mode.
- Touch pad control panel.
- Makes single or double espresso; 1 or 2 cups at a time.
- Double gauge for boiler & pump pressure control.

Model ESP2-220V

Model	Description	# of Heads	Boiler Size	Cups / Hr.*	Dimensions (H x W x D)	Electrical	Ship Weight	List Price
ESP1-110V (077903L)	Automatic / Semi Automatic	1 Group	6 qts. (5.67L)	240	20.31" x 21.56" x 21.5" (52 cm x 55 cm x 55 cm)	120V / 2KW / 18A	106 lbs. (48 kg)	$ 5,456
ESP1-220V (077900L)	Automatic / Semi Automatic	1 Group	6 qts. (5.67L)	240	20.31" x 21.56" x 21.5" (52 cm x 55 cm x 55 cm)	240V / 2.5KW / 10A	106 lbs. (48 kg)	$ 5,738
ESP2-220V (077901L)	Automatic / Semi Automatic	2 Group	13 qts. (12.3L)	480	28.38" x 21.56" x 21.5" (72 cm x 55 cm x 55 cm)	240V / 4.7KW / 20A	147 lbs. (67 kg)	$ 6,588
ESP3-220V (077902L)	Automatic / Semi Automatic	3 Group	19 qts. (18L)	720	37.88" x 21.56" x 21.5" (96 cm x 55 cm x 55 cm)	240V / 6.5KW / 27A	185 lbs. (84 kg)	$ 8,322

Plumbing: .5" (12.7 mm) pipe fitting connection required. **Electrical:** Line cord included, WITHOUT plug. * Demi Tasse Cups.
Heating Element: ESP1-110V = 1.5KW, ESP1-220V = 2KW, ESP2-220V = 4KW, ESP3-220V = 6KW.
Note: In-line water filter must be installed for warranty to be in effect. Does not include Barista Training. Two & one cup filter holder assemblies & hoses are included with all espresso machines.

Options		
OPTESP	Installation Package: Includes in-line water filter	$ 900

Espresso Machine Accessories

Model	Features	Specifications	List Price
60254	• **Carbon filter cartridge** - Filters out impurities and softens the water. Reduces mineral build-up that can damage your machine.	• Material: High impact heavy gauge plastic • Dim (HxWxD): .25" x 9.25" x 5.5" (.6 cm x 23 cm x 14 cm) • Ship dim (HxWxD): 16.25" x 12.75" x 6.75" (41 cm x 32 cm x 17 cm) (for filter housing)	$ 18
60220	• **Dump box** - Provides the ideal place to discard used coffee grounds.	• Material: 18/18 stainless steel w/thick rubber cross bar • Size (HxWxD): 2.5" x 10.38" x 6.38" (6 cm x 26 cm x 16 cm)	$ 64
60207	• **Espresso machine cleaner** - One packet of cleaner is all you need to back wash each group head once a week.	• Box contains 100 single use packets	$ 34
60206	• **Filter system** - Includes housing and 2 cartridges (carbon filter and water softener).	• Ship Dim (HxWxD): 16.75" x 16.75" x 16.75" (43 cm x 43 cm x 43 cm)	$ 212
60112	• **Hand tamper** - Perfect for flattening and leveling the bed of ground coffee in your filter holder.	• Material: Black high impact plastic • Size: 3" long w/ 2" D and 2.5" ends • Unit: one	$ 14
60201	• **Kit #1** - Includes the following: dump box, steam pitcher, measuring spoon, tamper and cleaner.	• Ship dim (HxWxD): (one carton) • 9.25" x 8.5" x 9.5" (23 cm x 22 cm x 24 cm)	$ 150
60205	• **Kit #2** - Includes the following: water filter/softening system, dump box, steam pitcher, measuring spoon, tamper and cleaner.	• Ship dim: (HxWxD) (one carton) • 22" x 14.5" x 10.5" (56 cm x 37 cm x 27 cm)	$ 360
60113	• **Measuring spoon** - Stainless steel measuring spoon holds 7 grams of coffee.	• Material: Stainless steel • Size: 7 grams • Unit: one	$ 10
63174	• **Pump system** - Provides 60 PSI from any size container. • **Light/buzzer** - warns when pump is dry. • **Plumbing** - .25" flare outlet, 3/8" barbed inlet.	• 115V / 1.5A (Draws 1.3A) • Ship weight: 13 lb. (5.9 kg) • Dim (HxWxD): 11.25" x 17" x 5.25" (29 cm x 43 cm x 13 cm) • Ship dim (HxWxD): 12.5" x 20" x 7.25" (32 cm x 51 cm x 18 cm)	$ 350
60208	• **Steam pitcher (20 oz. / 0.6L)** - This top quality pitcher is a must for steaming and frothing milk.	• Material: 18/10 stainless steel Size: 20 oz. / 0.6L; Unit: one	$ 30
60247	• **Steam pitcher (32 oz. / 1L)** - This top quality pitcher is a must for steaming and frothing milk.	• Material: 18/10 stainless steel Size: 32 oz. / 1L; Unit: one	$ 38
60253	• **Water softener cartridge**	• Material: High impact heavy gauge plastic • Dim (HxWxD): .25" x 9.25" x 5.5" (.6 cm x 23 cm x 14 cm) • Ship dim (HxWxD): 16.25" x 12.75" x 6.75" (41 cm x 32 cm x 17 cm)	$ 48

Espresso Grinders

Venezia Espresso Grinders

- Micro "Grind Control" Adjustment - An exclusive adjustment system that gives the operator infinite control over grind settings. No more preset "clicks" for grind settings.
- Cast aluminum frame – Insures perfect grind head alignment.
- Stroke counter – Indicates the number of cups of espresso that has been served.

Model VGA

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
VGT (077800L)	Espresso grinder with manual timer. Grinding blades: 2.5" (6.4 cm) dia. Grinding speed: 1600 rpm	120V / 350W / 2.9A	23.5" H (59.69 cm) 7.75" W (19.69 cm) 10.5" D (26.67cm)	31 lbs. (14 kg)	$ 1,580
VGA (077810L)	Espresso grinder with automatic timer. Grinding blades: 2.5" (6.4 cm) dia. Grinding speed: 1600 rpm	120V / 350W / 2.9A		31 lbs. (14 kg)	$ 1,960
VGHDA (077820L)	Heavy duty espresso grinder with automatic timer. Grinding blades: 3.25" (8.3 cm) dia. Grinding speed: 1600 rpm	120V / 650W / 5.4A	25.4" H (64.52 cm) 8.75" W (22.22 cm) 11.5" D (29.21 cm)	44 lbs. (20 kg)	$ 2,746

Note: Electrical line cord included, NEMA plug 5-15P • **Espresso bean capacity:** VGT & VGA - 2.7 lbs. (1.2 kg), VGHDA - 4 lbs. (1.8 kg) • Dose adjustment - 5.5g - 9g • **Ground espresso container capacity:** VGT & VGA - 0.6 lbs. (0.3 kg), VGHDA - 0.8 lbs. (0.4 kg) • **HP:** VGT & VGA - 1/2 hp, VGHDA - 1 hp

Venezia II Espresso Grinder

- Micro "Grind Control" Adjustment - An exclusive adjustment system that gives the operator infinite control over grind settings. No preset "clicks" for grind settings.
- Cast aluminum frame – Ensures perfect grind head alignment.

Model HC-600

Model	Description	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
HC-600 (077950L)	Espresso grinder with manual timer. Grinding blades: 2.5" (6.4 cm) dia. Grinding speed: 1550 rpm	120V / 350W / 3A	22" (55.88 cm) 8.5" (25.59 cm) 13" (33 cm)	31 lbs. (14 kg)	$ 1,058

Note: Electrical line cord included, NEMA plug 5-15P • **Espresso bean capacity:** VGT & VGA - 2.7 lbs. (1.2 kg), VGHDA - 4 lbs. (1.8 kg) • **Dose adjustment**: 5.5g - 9g • **Ground espresso container capacity:** .6 lbs. (.27 kg) • **HP:** .5

Super Automatic Espresso Machines & Accessories

GMCW Super Automatic Espresso Machines

- Super Automatic Espresso Machines that produce cafe-quality beverages without the need or expense of a trained barista.
- Fresh ground coffee, solubles, and fresh milk (optional) combine to create a wide variety of beverages including espresso, cappuccino, lattes, mochas, and more.
- Automatic coffee and soluble dosing result in a consistent beverage taste profile.
- Water filtration kit included with purchase.

Model Korinto 1/2

Model Kobalto 1/3

Model	Description	Dispense Volumes	Number of Boilers	Dimensions (H x W x D)	Ship Dimensions (H x W x D)	Electrical	Ship Weight	List Price
Korinto 1/2 (66101)	Super-automatic espresso brewer that utilizes (1) coffee bean hopper and (2) soluble hoppers.	8 oz, 10 oz, or 12 oz	1	28.25" x 13" x 21" (72 cm x 33 cm x 53 cm)	32" x 16" x 24" (81 cm x 41 cm x 61 cm)	120V / 12A	105 lbs. (48 kg)	$ 6,540
Kobalto 1/3 (66102)	Super-automatic espresso brewer that utilizes (1) coffee bean hopper and (3) soluble hoppers.	8 oz, 12 oz, 16 oz, or 20 oz	2	37.5" x 18.5" x 22.75" (95 cm x 47 cm x 58 cm)	42" x 30" x 22.5" (107 cm x 76 cm x 57 cm)	120V/240V / 20A / 1Ph	205 lbs. (93 kg)	$ 11,616
Kobalto 2/2 FM (66103)	Super-automatic espresso brewer that utilizes (2) coffee bean hoppers, (2) soluble hoppers, and fresh milk.	8 oz, 12 oz, or 16 oz	2	37.5" x 18.5" x 22.75" (95 cm x 47 cm x 58 cm)	42" x 30" x 22.5" (107 cm x 76 cm x 57 cm)	120V/240V / 20A / 1Ph	205 lbs. (93 kg)	$ 13,646
Accessories								
Purity C500 Water Filter Starter Kit (250-00011)	Included with purchase of super automatic espresso machines. Kit includes filter, water test kit, and filter head with variable bypass adjustable to local water conditions.							$ 468
Replacement Water Filter Cartridge (250-00012)	Replacement filter cartridge for Purity C500 water filter.							$ 352
Base Cabinet (available for Korinto only) (250-00015)	Base cabinet for use with Korinto 1/2. Sides of cabinet are black, powder-coated metal, countertop is black Formica. Dimensions: 32.7" H x 16" (base), 26" (countertop) W x 20.5" D. Weight: 60 lbs.							$ 1,182
Cup Warmer (250-00016)	Cup warmer with 2 shelves. Will hold 40 standard espresso cups or 24 standard cappuccino cups. Dimensions: 19.6"H x 13"W x 15"D. Requires 120V / 60 Hz.							$ 1,636
MiniFridge (available for Kobalto 2/2 FM only) (250-00017)	Small refrigerator designed to be placed next to espresso machine and to completely insulate and refrigerate up to a 1 gallon container of milk. Built in hose hole. Requires 120V / 60 Hz.							$ 1,504
Installation Package (80598)	Available for all super automatic espresso machines. The install, start, and adjust program includes limited installation, equipment inspection, equipment start-up, and operator training by a single person in locations 35 miles or less from a GMCW Authorized Service Center. When installation is purchased with a machine, the unit will be shipped to the installer. The customer must provide the following for installation: 1) Appropriate electric service within 4 feet of the machine's location for electric hook-up including appropriate heavy duty grounded receptacle with its own breaker. 2) Access to cold water with a minimum of 30 psi pressure with adequate shut-off valve within 6 feet of the machine's location on units requiring water line hook-up. 3) Adequate drain availability for flexible drain hose on units requiring water line hook-up. 4) Adequate and appropriate space to position unit. * Additional charges (i.e. removal of old equipment, work required to reach compliance with installation requirements above, travel time outside stated radius, or other expenses outside a normal installation situation) are the responsibility of the customer. Contact the factory for special Start and Adjust pricing for multiple units in one location.							$ 900*

Hot Powdered Beverage Dispensers

Hot Powder Cappuccino, Hot Chocolate, & Specialty Beverage Dispensers

- Large, operator friendly, Clear-View™ hoppers.
- Choice of large, bold, back-lit graphics.
- Direct Drive Hoppers – Self-aligning pin & link hopper drive for durability & easy install.
- Patented safety rib on dispense nozzle & generous cup clearance assures cups don't catch.
- Thermostat adjustable to dispense ambient temperature beverages.

Model PIC33A

Model PIC6 with Island Option

Model	Number of Hoppers & Capacity	Tank Cap.	Dimensions (H x W x D)	Ship Dimensions (H x W x D)	Ship Weight	List Price
Two & Three Flavor Models						
PIC2 (61001D)	Two 5 lbs. (Two 2.26 kg)	3.5 gal. (13.2L)	26.5" x 12" x 22" (67 cm x 30 cm x 56 cm)	32" x 16.5" x 26.75" (81 cm x 42 cm x 68 cm)	81 lbs. (37 kg)	$ 2,284
PIC3 (61005D)	Three 5 lbs. (Two 2.26 kg)	3.5 gal. (13.2L)	26.5" x 12" x 22" (67 cm x 30 cm x 56 cm)	32" x 16.5" x 26.75" (81 cm x 42 cm x 68 cm)	83 lbs. (38 kg)	$ 2,542
PIC33A 3 Portions / Head (61052D)	Three 5 lbs. (Two 2.26 kg)	3.5 gal. (13.2L)	26.5" x 12" x 22" (67 cm x 30 cm x 56 cm)	32" x 16.5" x 26.75" (81 cm x 42 cm x 68 cm)	83 lbs. (38 kg)	$ 2,796
Four, Five, & Six Flavor Models						
PIC4 Focus Flavor (62700)	One 11.5 lbs. & Three 5.5 lbs. (One 5.2 kg & Three 2.5 kg)	3.5 gal. (13.2L)	32.5" x 16.5" x 22" (83 cm x 42 cm x 57 cm)	38" x 21" x 27" (97 cm x 53 cm x 69 cm)	100 lbs. (46 kg)	$ 3,494
PIC5 (62933)	Five 5 lbs. (Five 2.26 kg)	5 gal. (19L)	34.75" x 20.5" x 24.75" (88 cm x 52 cm x 63 cm)	44" x 30.25" x 30.25" (112 cm x 77 cm x 77 cm)	125 lbs.[1] (57 kg)	$ 3,844
PIC5 with Island Option (62901)	Five 5 lbs. (Five 2.26 kg)	5 gal. (19L)	34.75" x 20.5" x 24.75" (88 cm x 52 cm x 63 cm)	44" x 30.25" x 30.25" (112 cm x 77 cm x 77 cm)	125 lbs.[1] (57 kg)	$ 4,070
PIC6 (62895)	Six 5 lbs. (Six 2.26 kg)	5 gal. (19L)	34.75" x 24.25" x 25" (88 cm x 62 cm x 64 cm)	44" x 30.25" x 30.25" (112 cm x 77 cm x 77 cm)	205 lbs. (93 kg)	$ 4,592
PIC6 with Island Option (63105)	Six 5 lbs. (Six 2.26 kg)	5 gal. (19L)	34.75" x 24.25" x 25" (88 cm x 62 cm x 64 cm)	44" x 30.25" x 30.25" (112 cm x 77 cm x 77 cm)	205 lbs. (93 kg)	$ 4,820
Accessory for PIC powdered beverage dispensers						
External Water Pump Kit (Part # 63174)	N/A	N/A	N/A	3.5" x 24" x 10.5" (9 cm x 61 cm x 1 cm)	8.5 lbs. (3.8 kg)	$ 350

Plumbing: .25" (6.35 mm) water line required. [1]Does not include weight of pallet.
Electrical: Dispensers - 120V,1650W, 14A; Pump Kit - 120V, 60W, 1A; Export voltage available.

Hot Powdered Beverage Dispensers

Cecilware BY GMCW — Hot Powder Cappuccino, Hot Chocolate, & Specialty Beverage Dispensers

Series Description

Budget K – For low to medium volume locations using minimal counter space.

Cold Cappuccino – Designed for the unique characteristics of cold cappuccino products.

Compact & Compact Whipper – These moderate volume dispensers have the smallest footprint available.

Destination – Dispense up to 8 flavors of cappuccino.

Feature Flavor & Whipper – Cecilware's original, high volume dispenser allows you to double up on popular flavors.

IT & Vista IT – Dispensers with the IT2 microprocessor to provide operators with total operating control.

Low Profile – Only 28½" in height.

Mini Whipper – Basic hot chocolate dispenser for low volume locations.

Multi-Flavor – These dispensers offer 12 delicious hot beverages in only 14" of counter space.

Panorama – Sleek, curvy, & attracts attention, these models combine contemporary design with the industries leading features. Available with 6 and 8 flavors.

Ski & Ski Whipper– Designed for use in extremely heavy volume locations: Ski Resorts, Sports Bars, Airports, Stadiums, & Casinos.

Space Saver – 2"- 3" narrower than the Feature Flavor dispensers.

Cecilware BY GMCW — Hot Powder Cappuccino & Specialty Beverage Dispensers

- The most comprehensive line of dispensers available – Model choices up to 8 flavors & several different footprints accommodate any hot beverage need.
- Direct Drive Auger System.

Model 3K-GB-LD

Model GB8MP-10-LD-U

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap.[1]	Dimensions (H x W x D)	Ship Weight	List Price
Single Flavor Models							
GB1CP (08003PL) **(non-lit door)**	**Compact**	One 8 lbs. (One 3.6 kg)	2 gal. (7.6L)	38	24" x 7.75" x 19" (61 cm x 20 cm x 48 cm)	30 lbs. (14 kg)	$ 1,772
GB1M-LD (080037L)	**Space Saver**	One 8 lbs. (One 3.6 kg)	2 gal. (7.6L)	42	31.5" x 8.5" x 22" (80 cm x 22 cm x 56 cm)	65 lbs. (29 kg)	$ 2,324
Two Flavor Models							
GB2CP (08003SL) **(non-lit door)**	**Compact**	Two 4 lbs. (Two 1.8 kg)	2 gal. (7.6L)	38	24" x 7.75" x 19" (61 cm x 20 cm x 48 cm)	32 lbs. (15 kg)	$ 1,580
2K-GB-LD (080022L)	**Budget K**	Two 4 lbs. (Two 1.8 kg)	2 gal. (7.6L)	42	31.5" x 8.5" x 20" (80 cm x 22 cm x 51 cm)	70 lbs. (32 kg)	$ 2,180
Three Flavor Models							
GB3CP (08003WL) **(non-lit door)**	**Compact**	Three 4 lbs. (Three 1.8 kg)	2 gal. (7.6L)	38	27" x 10" x 19" (69 cm x 25 cm x 48 cm)	40 lbs. (18 kg)	$ 2,026
GB3LP (08011BL) **(non-lit door)**	**Low Profile**	Three 4 lbs. (Three 1.8 kg)	2.75 gal. (10.4L)	58	28.5" x 11" x 20" (72 cm x 28 cm x 51 cm)	75 lbs. (34 kg)	$ 2,662
GB3LP-LD (080115L)	**Low Profile**						$ 2,532
3K-GB-NL (08002NL) **(non-lit door)**	**Budget K**	Three 4 lbs. (Three 1.8 kg)	2.75 gal. (10.4L)	53	31.5" x 10" x 20" (80 cm x 25 cm x 51 cm)	81 lbs. (37 kg)	$ 2,466
3K-GB-LD (080023L)	**Budget K**						$ 2,588
GB3M5.5-LD (080128L)	**Space Saver**	Three 5.5 lbs. (Three 2.5 kg)	2.75 gal. (10.4L)	62	34" x 11" x 22" (86 cm x 28 cm x 56 cm)	100 lbs. (45 kg)	$ 2,912
GB3M10-LD (080144L)	**Feature Flavor**	One 10 lbs. & Two 5 lbs. (One 4.5 kg & Two 2.26 kg)	3.2 gal. (12.1L)	78	34" x 11.5" x 22" (86 cm x 29 cm x 56 cm)	90 lbs. (41 kg)	$ 3,154

Plumbing: .25" (6.35 mm) water line required. **Electrical:** Standard 120V, 1.8KW, 15A, line cord Nema plug 5-15P
Finish: Black [1]**Burst Capacity:** Based on 6 oz. cups. [2]IT2 digital model. [3]IT-A/D-U models feature LCD display with mechanical buttons. U = vertical lift door.

Hot Powdered Beverage Dispensers

Hot Powder Cappuccino, & Specialty Beverage Dispensers (continued)

Model GB1M-LD

Model 3K-GB-LD

Model GB8MP-10-LD-U

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap.[1]	Working Dimensions (H x W x D)	Ship Weight	List Price
Three Flavor Models (continued from previous page)							
GB3M10-IT-LD (080121L)	**IT & Vista IT[2] Feature Flavor**	One 10 lbs. & Two 5 lbs. (One 4.5 kg & Two 2.26 kg)	3.2 gal. (12.1L)	78	34" x 11.5" x 22" (86 cm x 29 cm x 56 cm)	90 lbs. (41 kg)	$ 3,270
GB3M10-LD-U (080143L)	**Feature Flavor**						$ 3,396
GB3M210W-LD-U (080151L)	**Feature Flavor**	Two 10 lbs. & One 5 lbs. (Two 4.5 kg & One 2.26 kg)	3.2 gal. (12.1L)	78	34" x 14.75" x 22" (86 cm x 37 cm x 56 cm)	100 lbs. (45 kg)	$ 3,318
Four Flavor Models							
4K-GB-LD (080041L)	**Budget K**	Four 4 lbs. (Four 1.8 kg)	3.75 gal. (14.1L)	78	31.5" x 15.6" x 20" (80 cm x 40 cm x 51 cm)	120 lbs. (54 kg)	$ 3,148
GB4M5.5-LD (080126L)	**Space Saver**	Four 5.5 lbs. (Four 2.5 kg)	3.75 gal. (14.1L)	78	34" x 14" x 22" (86 cm x 36 cm x 56 cm)	120 lbs. (54 kg)	$ 3,542
Five Flavor Models							
5K-GB-NL (non-lit door) (08005NL)	**Budget K**	Five 4 lbs. (Five 1.8 kg)	3.75 gal. (14.1L)	78	31.5" x 15.6" x 20" (80 cm x 40 cm x 51 cm)	125 lbs. (57 kg)	$ 3,542
5K-GB-LD (080042L)	**Budget K**						$ 3,536
GB5M10-LD (080146L)	**Feature Flavor**	One 10 lbs. & Four 5 lbs. (One 4.5 kg & Four 2.26 kg)	6 gal. (22.7L)	98	34" x 18" x 22" (86 cm x 46 cm x 56 cm)	130 lbs. (59 kg)	$ 3,712
GB5M210-LD-U (080116L)	**Feature Flavor**	Two 10 lbs. & Three 5 lbs. (Two 4.5 kg & Three 2.26 kg)	6 gal. (22.7L)	98	34" x 20" x 22" (86 cm x 51 cm x 56 cm)	140 lbs. (64 kg)	$ 4,956
Six Flavor Models							
GB6M10LD-R/H (080171L)	**Destination[5]**	One 10 lbs. & Five 5 lbs. (One 4.5 kg & Five 2.26 kg)	6 gal. (22.7L)	98	34" x 21.5" x 22" (86 cm x 55 cm x 56 cm)	160 lbs. (73 kg)	$ 4,194
GB6M10-LD-U (080152L)	**Destination**	One 10 lbs. & Five 5 lbs. (One 4.5 kg & Five 2.26 kg)	6 gal. (22.7L)	98	34" x 21.5" x 22" (86 cm x 55 cm x 56 cm)	160 lbs. (73 kg)	$ 4,532
Eight Flavor Models							
GB8M10-LD-U (080156L)	**Destination[7]**	One 10 lbs. & Seven 5 lbs. (One 4.5 kg & Seven 2.26 kg)	8 gal. (30.3L)	120	34" x 27" x 22" (86 cm x 69 cm x 56 cm)	180 lbs. (82 kg)	$ 7,608
GB8MP-10-LD-U (080167L)	**Panorama[7]**				34" x 28" x 22" (86 cm x 71 cm x 56 cm)		$ 7,828

Plumbing: .25" (6.35 mm) water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15P standard. (Two line cords included with GB8M10-LD-U & GB8MP-10-LD-U) **Finish:** Black. [1]**Burst Capacity:** Based on 6 oz. cups. [2]IT2 digital model. [3]IT-A/D-U models feature LCD display with mechanical buttons. [4]Contains an additional 2 gal. (7.5 L) reservoir. [5]This model has a right hand side hinge door. [6]This model has a right hand side hinge door & standard hot water dispense. [7]This model requires two water lines & two separate electrical circuit's. U = vertical lift door

Hot Powdered Beverage Dispensers

Cecilware BY GMCW

Multi-Flavor Hot Powder Beverage Dispensers

- Mixes & creates twelve hot drinks from just five ingredients.
- Dispenser uses highly concentrated flavors.

Model GB5MF-IT-LD

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap.[1]	Dimensions (H x W x D)	Ship Weight	List Price
Cappuccino Model							
GB5MF-IT-LD (080139L)	**Multi-Flavor**[2]	One 10 lbs. & Four 2 lbs. (One 4.5 kg & Four 1 kg)	3.5 gal. (13.2L)	112	37.5" x 14" x 25" (95 cm x 36 cm x 64 cm)	120 lbs. (54 kg)	$ 4,762
Hot Chocolate Model							
GB5MF-HC-IT-LD (080134L)	**Multi-Flavor**[2]	Two 5 lbs. & Three 2 lbs. (Two 2.26 kg & Three 1 kg)	3.5 gal. (13.2L)	112	37.5" x 14" x 25" (95 cm x 36 cm x 64 cm)	120 lbs. (54 kg)	$ 4,852

Plumbing: ¼" (6.35 mm) water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15P standard. Export voltage available. **Finish:** Black. [1]**Burst Capacity:** Based on 6 oz. cups. [2]IT2 digital model.

Hot Chocolate Dispensers

Powdered Hot Chocolate Dispensers

- Extra high volume models available.

Model GB1HC-CP

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap.[1]	Dimensions (H x W x D)	Ship Weight	List Price
Single Flavor Models							
GB1HC-CP (non-lit door) (08003QL)	**Mini Compact Whipper**	One 8 lbs. (One 3.6 kg)	2 gal. (7.6 L)	38	24" x 7.75" x 19" (61 cm x 20 cm x 48 cm)	30 lbs. (14 kg)	$ 1,772
GB1HC (non-lit door) (08003AL)	**Whipper**	One 8 lbs. (One 3.6 kg)	2 gal. (7.6 L)	42	31.5" x 8.5" x 22" (80 cm x 22 cm x 56 cm)	65 lbs. (14 kg)	$ 2,250
GB1SKI-HC (non-lit door) (080032L)	**Ski Whipper**	One 14 lbs. (One 6.4 kg)	3.5 gal. (13.2 L)	93	37.5" x 8.5" x 22" (95 cm x 22 cm x 56 cm)	85 lbs. (39 kg)	$ 2,208
Two Flavor Models							
GB2HC-CP (08003TL)	**Compact Whipper**	Two 4 lbs. (Two 1.8 kg)	2 gal. (7.6 L)	38	24" x 7.75" x 19" (61 cm x 20 cm x 48 cm)	32 lbs. (15 kg)	$ 1,860
GB2 SKI-BL-LD-HC (080038L)	**Ski**	Two 14 lbs. (Two 6.4 kg)	8.5 gal. (32.2 L)	131	40.5" x 14" x 24.25" (103 cm x 36 cm x 62 cm)	155 lbs. (70 kg)	$ 4,128

Plumbing: .25" (6.35 mm) water line required. **Electrical:** Standard 120V, 1.8KW, 15A, line cord Nema plug 5-15P. Export voltage available. • **Finish:** Black ; [1]**Burst Capacity:** Based on 6 oz. cups.

Delice

- For mixing & dispensing thick chocolate, hot cider, & other hot beverages.

Model CHOCO-1

Model	Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
CHOCO-1 (200650L)	1.32 gal. (5L)	120V / 1.8KW / 15A	19.5" x 10.25" x 12.5" (50 cm x 26 cm x 32 cm)	17 lbs. (8 kg)	$ 1,126

Adjustable Thermostat: Up to 190°F / 88°C

Specialty Powdered Beverage Dispensers

Ambient Powder Cappuccino & Specialty Beverage Dispensers

- Just add ice!
- Fast Flow – Dispenses 30% faster, reducing wear and tear on major components.
- Direct drive auger system.

Model GB3M10-IT-LD-C

Model	Series	Number of Hoppers & Capacity	Tank Cap.	Burst Cap.[1]	Dimensions (H x W x D)	Ship Weight	List Price
Three Flavor Models							
GB3M10-IT-LD-C (080120)	**Cold Cappuccino**[2]	One 10 lbs. & Two 5 lbs. (One 4.5 kg & Two 2.26 kg)	3.2 gal. (12.1L)	78	34" x 11.5" x 22" (86 cm x 29 cm x 56 cm)	90 lbs. (41 kg)	$ 3,144

Plumbing: .25" (6.35 mm) water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15P standard. Export voltage available. **Finish:** Black. [1]**Burst Capacity:** Based on 6 oz. cups. [2]IT2 digital model.

Oatmeal Dispenser

Oatmeal Dispenser

- Compact, Space-Saving Size - satisfy the growing demand for oatmeal in just 11 inches of counter space.
- Easy to fill, dispense and clean.
- Direct Drive Auger System ensures perfect hopper alignment and "silent running".

Model GB3 LPO

Model	Description	Hoppers	Water Tank Capacity	Dimensions (H x W x D)	Electrical	Ship Weight	List Price
GB3 LPO (63688)	3-head oatmeal dispenser	Quantity: 3 Capacity: 4 lb (1.8 kg) each	2.75 gallons (10.4 L)	28.5'' x 11'' x 20'' (72 cm x 28 cm x 51 cm)	120 V, 1.8 KW, 15 A	75 lbs. (34 kg)	$ 2,068

Electrical: Line cord included, Nema plug 5-15P.

Brewed & Liquid Iced Tea Dispensers

"TB" Series Iced Tea Brewers & Dispensers

- Low Temperature Lockout System - Will not brew until the water has reached the proper temperature.
- Brew timer adjustment - Controls the brewing time.

Model TB3

Model B1/3

Model	Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
TB3 Brewer with B1/3T (069363L)	3 gal. (11L)	120V / 1.8KW / 15A	29.5" x 9.25" x 22.63" (75 cm x 24 cm x 58 cm)	43 lbs. (19.5 kg)	$ 1,252
B1/3 Dispenser & Base (069370L)	3 gal. (11L)	n/a	20" x 9.5" x 13.75" (51 cm x 24 cm x 35 cm)	11 lbs. (5 kg)	$ 186
B1/3T Dispenser (069380L)	3 gal. (11L)	n/a	11" x 9.5" x 9.5" (28 cm x 24 cm x 24 cm)	6 lbs. (3 kg)	$ 196
SU3P Dispenser & Base* (069480L)	3 gal. (11L)	n/a	18.75" x 9.25" x 9.25" (48 cm x 24 cm x 24 cm)	9 lbs. (4 kg)	$ 254

Plumbing: .25" (6.35 mm) water line required. **Electrical:** Line cord included, NEMA plug 5-15P. **Body Construction:** Stainless steel. **Funnel:** All units come standard with plastic brew funnel. **Filters:** For plastic brew funnel, order #412 filters, stainless steel brew funnel order #514 filter. *This model features a round base and no handles.

"S" Series Stainless Steel Iced Tea Dispensers

- Easy to clean iced tea dispensers.
- No-drip faucet design.

Model S3

Model S5

Model S10

Model	Capacity	Dimensions H x Diameter	Ship Weight	List Price
S2 (442000L)	2 gal. (7.6L)	15" x 9.25" (38 cm x 23.5 cm)	8 lbs. (3.6 kg)	$ 134
S3 (443000L)	3 gal. (11L)	18.75" x 9.25" (48 cm x 23.5 cm)	9 lbs. (4 kg)	$ 158
S3C w/ handle (069430L)	3 gal. (11L)	18.75" x 9.25" (48 cm x 23.5 cm)	9 lbs. (4 kg)	$ 246
S3.5 (069433L)	3.5 gal. (13L)	22.75" x 9.25" (58 cm x 23.5 cm)	10 lbs. (4.5 kg)	$ 168
S5 (445000L)	5 gal. (19L)	24.75" x 9.25" (63 cm x 23.5 cm)	11 lbs. (5 kg)	$ 184
S5C w/ handle (445010L)	5 gal. (19L)	24.75" x 9.25" (63 cm x 23.5 cm)	11 lbs. (5 kg)	$ 268
S10 (446500L)	10 gal. (38L)	26.5" x 11.75" (67 cm x 30 cm)	18 lbs. (8 kg)	$ 318
S10C w/ handle (446511L)	10 gal. (38L)	26.5" x 11.75" (67 cm x 30 cm)	18 lbs. (8 kg)	$ 378

7" faucet clearance is standard on S10

"T1W" Series Plastic Iced Tea Dispenser

- Light weight, durable plastic.
- Product visibility.

Model T1W

Model	Capacity	Dimensions (H x W x D)	Ship Weight	List Price
T1W (080310L)	3 gal. (11L)	16" x 12.5" x 9" (41 cm x 32 cm x 23 cm)	7 lbs. (3 kg)	$ 130

Automatic Orange Juice Machines

Cecilware BY GMCW

Automatic Orange Juice Machines

- Avoid The Bitter Peel Taste – The exclusive design of the juicer insures that the peel is separated from the pulp & not pressed during the squeezing process.
- Micro Serrated Slicing Blade – Heavy-duty stainless steel blade strong enough to quickly slice through the thickest peel.
- Available Carousel Style Automatic Feeder – Fruit is automatically fed into the machine quickly & efficiently as the feeder rotates.

Model JX15MC

Model JX45AF

Model	Description	Feeder Capacity	Flow Rate / Min	Dimensions (H x W x D)	Electrical	Ship Weight	List Price
Compact Countertop Series - 15 oranges/minute							
JX15MC (095500L)	Manual feed	6 Orange	25 oz. - 45 oz. (.7 L - 1.3 L)	33'' x 19.3'' x 17.7'' (84 cm x 49 cm x 45 cm)	120V, 1080W, 9A	111 lbs. (51 kg)	$ 7,340
"Super" Floor Model Series - 45 oranges/minute							
JX45AF (095555L)	Auto feed, juice reservoir and self-serve faucet	39 lbs. (18 kg)	57 oz. - 114 oz. (1.7L - 3.4L)	71.3" x 23" x 29.5" (181 cm x 58 cm x 75 cm)	120V, 1080W, 9A	184 lbs. (84 kg)	$ 14,176
Electrical: Line cord included, Nema plug 5-15P. **Color:** Orange. **Fruit Diameter:** 2.36" - 3.2" (60 mm - 80 mm).							

Crathco® Cold Beverage Dispensers

Crathco® G-Cool™ - Innovative Premix Cold Beverage Dispensers

- Dispense up to 4 flavors; 2.4 & 5 gal. bowls.
- Faster Cleaning - cleans in half the time of a traditional dispenser.
- Patented Tri-Cool™ evaporator with a large 3 sided cooling surface that refrigerates through the bowl.
- 360° Merchandising with choice of fruit, tea or cappuccino graphics.

Model C-1S-16

Model C-4D-16

Model	# of Bowls	Bowl Capacity	Dimensions (H x W x D)	Ship Dimensions (H x W x D)	Ship Weight	List Price
C-1S-16 Single* (99505)	1	5 (18.9L) gal.	26.5" x 12.5" x 19.5" (68 cm x 32 cm x 49.5 cm)	30" x 16" x 22" (76 cm x 41 cm x 56 cm)	75 lbs. (34 kg)	$ 1,362
C-2D-16 Double** (99510)	2	5 gal. (18.9L) each	26.5" x 22" x 19.5" (68 cm x 56 cm x 49.5 cm)	30" x 25" x 22" (76 cm x 64 cm x 56 cm)	125 lbs. (57 kg)	$ 2,008
C-3D-16 Focus Flavor™ Triple** (99560)	3	One 5 gal. (18.9L) & Two 2.4 gal. (9L)	26.5" x 22" x 19.5" (68 cm x 56 cm x 49.5 cm)	30" x 25" x 22" (76 cm x 64 cm x 56 cm)	130 lbs. (59 kg)	$ 2,442
C-2S-16 Mini-Duo™* (99507)	2	2.4 gal. (9L) each	26.5" x 12.5" x 19.5" (68 cm x 32 cm x 49.5 cm)	30" x 16" x 22" (76 cm x 41 cm x 56 cm)	82 lbs. (37 kg)	$ 1,734
C-4D-16 Mini-Quattro™** (99514)	4	2.4 gal. (9L) each	26.5" x 12.5" x 19.5" (68 cm x 32 cm x 49.5 cm)	30" x 25" x 22" (76 cm x 64 cm x 56 cm)	133 lbs. (60 kg)	$ 2,712

Electrical: * 120V, 450W, 4A ** 120V, 980W, 9A **Refrigerant:** R134A
Specify graphic: Iced Coffee (99454), Iced Tea (99455), or Fruit (99456)

Crathco® G-Cool™ Accessories

Part #	Description	List Price
9913	Milkfat Impeller	$ 18
99453	Single cradle 4" (100 mm) leg kit (Optional on single units, standard on double cradle units)	$ 138
99634	Heavy valve assembly for G-Cool. For use with products with pulp.	$ 64

Crathco® Cold Beverage Dispensers

Crathco® Classic Bubblers™ Premix Cold Beverage Dispensers

- A two piece, stainless steel dispense system that cools to the dispense point.
- Easy clean stainless evaporator surface.
- Fewer parts for fast, easy clean-up.
- Includes spray and agitate circulation options.

Model D25-4

Model E49-4

Model	# of Bowls	Electrical	Dimensions (H x W x D)	Ship Dimensions (H x W x D) (2 boxes)	Ship Weight	List Price
Standard Series with 5 Gallon (18.9L) Bowl						
D15-3* Base: (5619); Bowl: (5111)	1	120V / 340W / 3A	27.25" x 10.125" x 15.875" (69 cm x 26 cm x 40 cm)	**Base:** 15.5" x 13.5" x 13.5" (39 cm x 34 cm x 34 cm) **Bowl:** 8.5" x 14" x 15.5" (22 cm x 36 cm x 39 cm)	Total: 46 lb. (20.4 kg) **Base:** 37 lb. (16.8 kg) **Bowl:** 9 lb. (4 kg)	$ 1,302
D15-4** Base: (5620); Bowl: (5121)	1					$ 1,240
D25-3* Base: (5507); Bowl: (5112)	2	120V / 660W / 6A	27.25" x 17.5" x 15" (69 cm x 44 cm x 38 cm)	**Base:** 16.25" x 20.75" x 13.5" (41 cm x 53 cm x 34 cm) **Bowl:** 22.5" x 15.5" x 8.5" (57 cm x 39 cm x 22 cm)	Total: 77 lb. (35 kg) **Base:** 60 lb. (27 kg) **Bowl:** 17 lb. (8 kg)	$ 1,794
D25-4** Base: (5508); Bowl: (5122)	2					$ 1,668
D35-3* Base: (5511); Bowl: (5113)	3	120V / 1020W / 9A	27.25" x 25.63" x 15.875" (69 cm x 65 cm x 40 cm)	**Base:** 16" x 29.5" x 13.5" (41 cm x 75 cm x 33 cm) **Bowl:** 28.5" x 15.5" x 8.5" (73 cm x 39 cm x 21 cm)	Total: 95 lb. (43 kg) **Base:** 71 lb. (32.2 kg) **Bowl:** 24 lb. (10.8 kg)	$ 2,326
D35-4** Base: (5512); Bowl: (5123)	3					$ 2,172
Mini-Bowl Series with 2.4 Gallon (9L) Bowl						
E29-3* Base: (5584); Bowl: (5114)	Mini-Twin™ 2	120V / 400W / 4A	25.5" x 11.25" x 15.5" (65 cm x 29 cm x 40 cm)	**Base:** 16" x 14.5" x 13.5" (41 cm x 37 cm x 34 cm) **Bowl:** 16" x 16" x 9.5" (41 cm x 41 cm x 24 cm)	Total: 56 lb. (25.4 kg) **Base:** 45 lb. (20.4 kg) **Bowl:** 11 lb. (5 kg)	$ 1,652
E29-4** Base: (5583); Bowl: (5124)	Mini-Twin™ 2					$ 1,538
E49-3* Base: (5538); Bowl: (5115)	Mini-Quad™ 4	120V / 720W / 6A	25.5" x 20.5" x 15" (65 cm x 52 cm x 38 cm)	**Base:** 16" x 23.5" x 13.5" (41 cm x 60 cm x 34 cm) **Bowl:** 19" x 20" x 9.5" (48 cm x 51 cm x 24 cm)	Total: 91 lb. (41.2 kg) **Base:** 67 lb. (30.4 kg) **Bowl:** 24 lb. (10.8 kg)	$ 2,586
E49-4* Base: (5542); Bowl: (5125)	Mini-Quad™ 4					$ 2,446

*(-3) = Stainless steel side panels and drip tray. **(-4) = Plastic side panels and drip tray. Refrigerant: 134A.

Crathco® Classic Bubblers™ Options & Accessories*

Part #	Description	List Price
1161M	Large (blue) Milkfat Impeller	$ 42
1008M	Small (red) Milkfat Impeller	$ 42
3587	Standard MCX Mag Drive™ Impeller (black)	$ 32
3709	MCX Mag Drive™ Low Foam Impeller	$ 32
2484	Non Contact Handle (Standard)	$ 32
2266	Cup Activated Handle	$ 32
2543	3" Legs (7.5 cm) set of 4	$ 72
3657	Condensation Cover - "D" Models	$ 30
3666	Condensation Cover - "E" Models	$ 30
2039	Valve Cap	$ 76

*Option prices in addition to base price

Part #	Description	List Price
2502	Valve Locking Box (use w/cup activated handle)	$ 70
5351	Security Kit - Use w/E29	$ 166
5353	Security Kit - Use w/E49	$ 284
2509	Security Kit - Use w/D15	$ 168
2510	Security Kit - Use w/D25	$ 228
2511	Security Kit - Use w/D35	$ 334
90295	Liquid Autofill Control Box - Use w/D15, D25, D35, D112 (not for use with RO water systems)	$ 828
90380	Pre-drilled holes for autofill on new premix machine (drilling charge per bowl)	$ 44
5925	Shipboard Kit - Use w/D15, D25, D35	$ 130

*Option prices in addition to base price

Cold Beverage Dispensers

Cecilware BY GMCW

Arctic™ Series
Premix Cold Beverage Dispensers

- Dispenses iced tea, iced cappuccino & fruit juice containing particulates.
- Performs fast, or gentle agitation to reduce foaming of product.
- Dispenses up to 4 flavors.
- Stainless steel dispensing valves.

Model 20/2PD

Model 8/4

Model	# of Bowls	Bowl Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
Arctic Deluxe Series - Classic bubbler style dispenser with magnetic driven agitators, can be set for fast or gentle agitation, removable sides.						
20/1PD (200780L)	1	5.4 gal. (20.4L)	120V / 0.6KW / 5A	26.5" x 7" x 18.5" (67 cm x 18 cm x 47 cm)	55 lbs. (25 kg)	$ 1,476
20/2PD (200782L)	2	5.4 gal. (20.4L)	120V / 0.6KW / 5A	26.5" x 14.5" x 18.5" (67 cm x 37 cm x 47 cm)	80 lbs. (36 kg)	$ 2,202
20/3PD (200784L)	3	5.4 gal. (20.4L)	120V / 1.4KW / 12A	26.5" x 21.25" x 18.5" (67 cm x 54 cm x 47 cm)	102 lbs. (46 kg)	$ 2,692
20/4PD (200786L)	4	5.4 gal. (20.4L)	120V / 2KW / 16A	26.5" x 28.5" x 18.5" (67 cm x 72 cm x 47 cm)	130 lbs. (59 kg)	$ 3,252
Electrical: Line cord included. **Body Construction:** Stainless steel.						
Options						
00657L	3.17 gal. bowl(s) (operator must cut riser tube to fit)					$ 178

Model	# of Bowls	Bowl Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
Arctic Economy Series - Classic bubbler style dispenser with magnetic driven agitators, can be set for fast or gentle agitation, unibody construction.						
20/1PE (200770L)	1	5.4 gal. (20.4L)	120V / 0.6KW / 5A	26.5" x 7" x 18.5" (67 cm x 18 cm x 47 cm)	55 lbs. (25 kg)	$ 1,300
20/2PE (200772L)	2	5.4 gal. (20.4L)	120V / 0.6KW / 5A	26.5" x 14.5" x 18.5" (67 cm x 37 cm x 47 cm)	80 lbs. (36 kg)	$ 1,932
20/3PE (200774L)	3	5.4 gal. (20.4L)	120V / 1.4KW / 12A	26.5" x 21.25" x 18.5" (67 cm x 54 cm x 47 cm)	102 lbs. (46 kg)	$ 2,380
20/4PE (200776L)	4	5.4 gal. (20.4L)	120V / 2KW / 16A	26.5" x 28.5" x 18.5" (67 cm x 72 cm x 47 cm)	130 lbs. (59 kg)	$ 2,866
Electrical: Line cord included. **Body Construction:** Stainless steel.						
Options						
00657L	3.17 gal. bowl(s) (operator must cut riser tube to fit)					$ 178

Model	# of Bowls	Bowl Capacity	Electrical	Dimensions (H x W x D)	Ship Weight	List Price
Compact "Slow" Agitation Series - Magnetic driven agitator - Very slow product agitation, reduces foaming, unibody construction.						
8/1 (200750L)	1	2.2 gal. (8.3L)	120V / 0.6KW / 5A	24.75" x 9" x 15.75" (63 cm x 23 cm x 40 cm)	33 lbs. (15 kg)	$ 1,034
8/2 (200752L)	2	2.2 gal. (8.3L)	120V / 0.6KW / 5A	24.75" x 12" x 15.75" (63 cm x 30 cm x 40 cm)	42 lbs. (19 kg)	$ 1,582
8/3 (200754L)	3	2.2 gal. (8.3L)	120V / 1.4KW / 12A	24.75" x 16.25" x 15.75" (63 cm x 41 cm x 40 cm)	51 lbs. (23 kg)	$ 1,828
8/4 (200756L)	4	2.2 gal. (8.3L)	120V / 2KW / 16A	24.75" x 21.25" x 15.75" (63 cm x 54 cm x 40 cm)	58 lbs. (27 kg)	$ 2,380
Electrical: Line cord included. **Body Construction:** Stainless steel.						

Granita Beverage Dispensers

NHT - FrigoGranita® Dispensers

- Suction Cup Compression Seal System - Acts as a barrier between the granita product and vital gear motors.
- Dual surface freezing chamber - Freezes product quickly and efficiently.
- Standard adjustable slush and cool beverage mode.
- 24 hour programmable defrost timer.

Model NHT3ULBL

Model NHT2UL



Rear View of The Dispenser

300 Series Stainless Steel
Non Magnetic Auger Shaft
Will Not Rust!

Model	Finish	# of Bowls	Bowl Capacity	HP	Dimensions (H x W x D)	Ship Weight	List Price
NHT2UL (200702L)	Stainless Steel	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	95 lbs. (43 kg)	$ 3,748
NHT2ULBL (200706L)	Black	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	95 lbs. (43 kg)	$ 3,824
NHV2UL (200724L)	Stainless Steel	2	2.5 gal. (9.5L)	(2) .5 hp	35.75" x 14.25" x 18.5" (91 cm x 36 cm x 47 cm)	148 lbs. (67 kg)	$ 5,456
NHT3UL (200703L)	Stainless Steel	3	2.5 gal. (9.5L)	.75 hp	27.75" x 21" x 18.5" (70 cm x 53 cm x 47 cm)	125 lbs. (57 kg)	$ 5,456
NHT3ULBL (200707L)	Black	3	2.5 gal. (9.5L)	.75 hp	27.75" x 21" x 18.5" (70 cm x 53 cm x 47 cm)	125 lbs. (57 kg)	$ 5,456

Electrical: Line cord included, NHT2 = 120V, 1.7KW, 15A, NHT3/NHV2UL = 120V, 2.3KW, 20A. Stainless steel dispensers come standard with light gray lids & gray drip trays.
Note: This series has reversible lids with single sided lighted graphics.

NHT & MT FrigoGranita® Frozen Drink Dispenser Accessories

Ice Breaker Lids*

Breaks up ice that can form at the top of the granita bowl

Part #	Description	List Price
00557L	Complete Black Lid with Ice Breaker	$ 204
00581L	Complete White Lid with Ice Breaker	$ 204
00582L	Complete Gray Lid with Ice Breaker	$ 204

*NHT & MT Standard series only.

Granita Beverage Dispensers

MT - FrigoGranita® Dispensers

- Auger fits securely over the outside of the Magnetic Drive System, turning via a series of magnets.
- The auger motor turns magnetically eliminating front or rear seals.
- Eliminates damage to the auger motor if product freeze-up occurs.
- 24 hour programmable defrost timer.



Cut-Away View

Model MT2ULBL

Model	Finish	# of Bowls	Bowl Capacity	HP	Dimensions (H x W x D)	Ship Weight	List Price
MT Mini Series							
MT1MINI (200401L)	Stainless Steel	1	1.5 gal. (5.7L)	.125 hp	25.63" x 7" x 18.5" (65 cm x 18 cm x 47 cm)	58 lbs. (26 kg)	$ 2,868
MT2MINI (200402L)	Stainless Steel	2	1.5 gal. (5.7L)	.33 hp	25.63" x 14.25" x 18.5" (65 cm x 36 cm x 47 cm)	95 lbs. (43 kg)	$ 3,308
MT3MINI (200403L)	Stainless Steel	3	1.5 gal. (5.7L)	.5 hp	25.63" x 21.25" x 18.5" (65 cm x 54 cm x 47 cm)	119 lbs. (54 kg)	$ 5,064
Electrical: Line cord included, MT1Mini = 120V, 460W, 4A, MT2Mini = 120V, 1KW, 9A, MT3Mini = 120V, 1.5KW, 13A. **Note:** This series has reversible lid(s) with 360° wrap-around non-lit graphics. For available accessories see previous page.							
MT Standard Series - Manual Fill Models							
MT1PUL (200504)L	Stainless Steel	1	2.5 gal. (9.5L)	.25 hp	27.75" x 11.5" x 18.5" (70 cm x 29 cm x 47 cm)	67 lbs. (30 kg)	$ 3,598
MT2UL (200502L)	Stainless Steel	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	95 lbs. (43 kg)	$ 4,396
MT2ULBL (200542L)	Black	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	95 lbs. (43 kg)	$ 4,396
MT3UL (200503L)	Stainless Steel	3	2.5 gal. (9.5L)	.75 hp	27.75" x 21" x 18.5" (70 cm x 53 cm x 47 cm)	125 lbs. (57 kg)	$ 6,828
MT3ULBL (200543L)	Black	3	2.5 gal. (9.5L)	.75 hp	27.75" x 21" x 18.5" (70 cm x 53 cm x 47 cm)	125 lbs. (57 kg)	$ 6,828
MT Standard Series - Auto Fill Ready For Liquid Bag-In-The-Box Apparatus							
MT2ULAF (200512L)	Stainless Steel	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	97 lbs. (44 kg)	$ 5,062
MT2ULAFBL (200544L)	Black	2	2.5 gal. (9.5L)	.5 hp	27.75" x 14.25" x 18.5" (70 cm x 36 cm x 47 cm)	97 lbs. (44 kg)	$ 5,062
MT3ULAF (200545L)	Stainless Steel	3	2.5 gal. (9.5L)	.75 hp	27.75" x 21" x 18.5" (70 cm x 53 cm x 47 cm)	127 lbs. (58 kg)	$ 8,548
Electrical: Line cord included, MT1P & MT2 = 120V, 1.7KW, 15A, MT3 & MV2 = 120V, 2.3KW, 20A. Stainless steel dispensers come standard with light gray tops & gray drip trays. **Note:** This series has reversible lid(s) with single sided lighted graphics. For available accessories see previous page.							
MT Giant Series							
GIANT2 (200725L)	Stainless Steel	2	4 gal. (15.1L)	(2) .5 hp	35.5" x 18" x 20.5" (90 cm x 46 cm x 52 cm)	147 lbs. (67 kg)	$ 5,288
GIANT2BL (200730L)	Black	2	4 gal. (15.1L)	(2) .5 hp	35.5" x 18" x 20.5" (90 cm x 46 cm x 52 cm)	147 lbs. (67 kg)	$ 5,288
Electrical: Line cord included, GIANT2 = 120V, 2.3KW, 20A. Stainless steel dispensers come standard with light gray tops & gray drip trays. **Note:** This series has locking reversible lids with 360° wrap-around lighted graphics. For available accessories see previous page.							

Crathco® Barrel Freezers

Barrel Freezers

- Product reservoir continually replenishes frozen product in barrel. Mix low light alerts user when to refill reservoir.
- Versatile - Serve frozen smoothies, shakes, frozen cappuccino/granita latte, frozen cocktails, granita, frozen fruit juices or slush.
- Patented FlavorLight™ illuminates the frozen product - your choice of eye catching back-lit signs draw customers and increase sales.

Model 3311

Model 5512

Model	# of Barrels	Capacity	Com-pres.	Drive Motor	Electrical	Dimensions	Ship Dimensions (H x W x D)	Ship Wt.	List Price
3000 Series Mechanical Control Frozen Beverage Dispensers									
3311 (CFB3311-A)	1	5-7 gal./hr Frozen: 1.5 gal. (5.6L) Storage: 5.0 gal. (19L) Total: 6.5 gal. (24.6L)	.75 hp air cooled	.5 hp	120V / 1392W / 11.6A	28.5" x 13" x 29" (72 cm x 33 cm x 74 cm)	30.5" x 20.5" x 36.5" (77cm x 52cm x 93cm)	195 lbs. (88 kg)	$ 7,728
3511 (CFB3511-C)	1	8-10 gal./hr Frozen: 1.5 gal. (5.6L) Storage: 5.0 gal. (19L) Total: 6.5 gal. (24.6L)	1 hp air cooled	.5 hp	220V / 60Hz / 10.5A	26.5" x 13" x 29" (67 cm x 33 cm x 74 cm)	30" x 19" x 38" (76 cm x 43 cm x 97 cm)	195 lbs. (88 kg)	$ 8,142
3312 (CFB3312-A)	2	5-7 gal./hr Frozen: 1.5 gal. (5.6L) Storage: 2.25 gal. (8.5L) Total: 3.75 gal. (14.1L)	.75 hp air cooled	(2) .25 hp	120V / 1896W / 15.8A	29.75" x 18.5" x 29" (76 cm x 47 cm x 74 cm)	33" x 24" x 37" (84 cm x 61 cm x 94 cm)	280 lbs. (127 kg)	$ 9,854
5000 Series Electronic Control Frozen Beverage Dispensers									
5311 (CFB5311-D)	1	5-7 gal./hr Frozen: 1.5 gal. (5.6L) Storage: 5.0 gal. (19L) Total: 6.5 gal. (24.6L)	.75 hp air cooled	.25 hp	120V / 1920W / 16A Required Circuit: 120V 20A NEMA#5-20R	28.5" x 13" x 26.5" (72 cm x 33 cm x 74 cm) (incl. pad)	33.5" x 20.5" x 37" (85 cm x 52 cm x 94 cm)	192 lbs. (86 kg)	$ 8,124
5512 (CFB5512-A)	2	8-10 gal./hr Frozen: 1.5 gal. (5.6L) Stora (8.5L) Total: 3.75 gal. (14.1L)	1 hp cooled		208/230V / 2645W / 6-20R	37" x 18.75" x 29" (incl. pad)	5" cm)	304 lbs. (137 kg)	$ 14,772
5711 (CFB5711-B)	1	15-20 gallons / hour Frozen: 1.5 gal. (5.6L), Storage: 5.0 gal. (19L), Total: 6.5 gal. (24.6L)	1.5 hp	.5 hp	208/230V / 60Hz / 1Ph	29.75" x 24" x 29" (76 cm x 61 cm x 74 cm)	34" x 23" x 32" (86 cm x 58 cm x 81 cm)	260 lbs. (118 kg)	$ 9,416
Remote Condensing Frozen Beverage Dispensers									
3341 (CFB3341-D)	1	Up to 30 gallons / hour* Frozen: 1.5 gal. (5.6L) Storage: 5.0 gal. (19L) Total: 6.5 gal. (24.6L)	2.5 hp**	.5 hp	120V / 60Hz / 1 Ph / 816W / 6.8A	26.5" x 13" x 29" (67 cm x 33 cm x 74 cm)	30" x 19" x 38" (76 cm x 43 cm x 97 cm)	140 lbs. (64 kg)	$ 7,184

discontinued July 2013

***Match condensing unit's size to output needs - up to 30 gallons of frozen products per hour.**
**Works with remote condensing units up to 2.5 hp per freezing cylinder.

Crathco® Barrel Freezers

Crathco® Barrel Freezers Start and Adjust for Counter Models

Model	Features	List Price
	Available for all counter units except remote condensing or pressurized models. The install, start and adjust program includes limited installation, equipment inspection, equipment start-up and operator training by a single person in locations 35 miles or less from a GMCW™ Authorized Service Center. When installation is purchased with a machine, the unit will be shipped to the installer. The customer must provide the following for installation: 1. Appropriate electric service within 4 feet of the machine's location for electric hook-up including appropriate heavy duty grounded receptacle with its own breaker. 2. Access to cold water with minimum of 30 psi pressure with adequate shut-off valve within 6 feet of the machine's location on units requiring water line hook-up. 3. Adequate drain availability for flexible drain hose on units requiring water line hook-up. 4. Adequate and appropriate space to position unit.	
W0910001	Start and Adjust, Single Barrel	$ 876*
W0910002	Start and Adjust, Twin Barrel	$ 1,312*

*Additional charges (i.e. removal of old equipment, work required to reach compliance with installation requirements above, travel time outside stated radius, or other expenses outside a normal installation situation) are the responsibility of the customer. Contact the factory for special Start and Adjust pricing for 2 or more units in the same location.

Crathco® Barrel Freezer Accessories

Model	Features	List Price
W0890208	Concealed Filter Kit - Black	$ 254
W0890200	Concealed Filter Kit S.S.	$ 298
W0890206	Exposed Filter Kit	$ 124
W0890220	Legs (4)	$ 66

Model	Features	List Price
W0890224	Parts Tray Kit - Scraper Dasher	$ 190
W0890219	Parts Tray Kit - Standard	$ 190
W0470051	Refractometer	$ 202
W0890053	Spinner Kit - 110V	$ 736

Beverage Equipment US Warranty

Effective September 1, 2012

New machines that have been manufactured by or for GMCW (Grindmaster-Cecilware Corporation™) and all parts thereof are conditionally* warranted to the original user by GMCW to be free from defects in material and workmanship (existing at the time of manufacture and appearing during the stated warranty period) under normal use and service as follows:

All Equipment unless specified otherwise below: 1 year parts and 1 year labor

Crathco® Barrel Style Freezers
1 year parts
1 year labor
5 years compressor parts

G-Cool/Crathco® Classic Premix Dispensers
1 year parts
1 year labor
5 years compressor parts

Arctic Series (Ugolini) Cold Beverage Dispensers
1 year parts
90 days labor

Powdered Beverage Dispensers
2 years parts
1 year labor

Micro-Controller based boards (except Granita and Crathco® Barrel Style Freezers and PIC)
3 years parts
1 year labor

All Grinding Burrs on coffee grinding equipment manufactured by GMCW (does not include espresso grinders)
4 years parts (or 30,000 lbs. of coffee - whichever comes first)
1 year labor

AVS/VS Vacuum Shuttles®, Classic CS-1 Shuttle®, and CW-1 Warmer
1 year parts

PrecisionBrew™ Coffee Brewers and Space Saver Urns
2 years parts
2 years labor

Urn Body and Liners
3 years part

PrecisionBrew™ Pod Brewers
Model OPOD: 1 year replacement
Model GPOD: 1 year replacement

GMCW Accessories (does not include glass decanters and Airpots)
90 days parts only

During these warranty periods, GMCW will at its option (and after inspection), repair or replace a defective unit with no charge for parts or bench labor during the applicable parts or labor warranty period, respectively. GMCW's obligation under these warranty periods shall be limited to repairing or replacing any part of said dispenser (excluding plastic parts, rubber parts, light bulbs or normal wear items), which proves defective within the warranty period. These warranty periods run from the date of installation (proof of installation date required) if within 9 months of ship date, or if no proof of installation is provided the warranty start date is the original ship date of the equipment. Travel is covered up to 50 miles or 1 hour, whichever comes first. Labor does not include the cost of shipping to or from the service station or factory.

*This warranty is subject to the following conditions, terms and exclusions (for a detailed list see Warranty Explanation):

- Warranty does not apply to machines or any part thereof which have been subject to any accident, abuse, misuse, neglect, alteration, use on incorrect voltage, improper ventilation, damage caused in transit, improper installation or operation, improper maintenance or repair, normal wear items, plastic or rubber parts, poor water conditions, machine adjustments, temporary non-functioning conditions, fire, flood or acts of God;
- Warranty is in lieu of all other warranties expressed or implied. In no event shall GMCW be liable for consequential or incidental damages.
- The model and serial number of the unit (shown on the serial plate) shall be supplied to the service station or factory along with the defective parts of the unit.
- Upon request by GMCW, some warranty parts, (including but not limited to: motors, compressors, micro-controlled based boards, gear motors, and burrs) shall be shipped prepaid to the Grindmaster-Cecilware™ Factory Service Center designated in the RGA confirmation. Upon receipt, GMCW will inspect parts to verify warranty claim is valid. Replacement parts will be billed out when shipped, and then credited on return of a part that is proven to be a valid warranty claim upon inspection by GMCW. Warranty labor will not be paid until warranty claim parts are received and validated by GMCW.
- The buyer shall give prompt notice to GMCW, and must obtain prior authorization from GMCW, for any claim to be made under said warranty via telephone at (800-695-4500) or writing to P.O. Box 35020, Louisville, KY 40232-5020.
- Upon request by GMCW, the defective equipment shall be shipped prepaid to the GMCW Factory Service Center designated in the RGA confirmation, or, if requested by GMCW, to an authorized GMCW service location.
- **No field (including travel), outside or service station work is covered by this warranty without prior authorization by the GMCW Service Department.**

The dealers, distributors, employees and agents of GMCW are not authorized to modify this warranty or to add warranties that are binding to GMCW. Neither written nor oral statements by such individuals establish warranties and thus should not be relied upon. This will establish your warranty rights. The purchaser's redress against GMCW for the breach of any obligation arising from the sale of this equipment, whether derived from warranty or elsewhere, shall be limited to repair, replacement or refund at GMCW™ discretion.

Sales Representatives

Contact Us

Customer Service
place an order • check product availability and price• obtain freight and tracking information • request literature • inquire about parts
Phone: 502.425.4776 or Toll Free: 1-800-695-4500 (US & Canada) Email: csmailbox@gmcw.com

Technical Service
warranty information • equipment troubleshooting • schedule service calls • RA inquiries • part number inquiries
Phone: 502.425.4776 or Toll Free: 1-800-695-4500 (US & Canada) Email: tsmailbox@gmcw.com

Inside Sales Support
quotes • bids • special order inquiries
Scott Laird - Phone: 502.425.4776 ext. 2137 or Toll Free: 1-800-695-4500 ext. 2137 (US & Canada) Email: slaird@gmcw.com

Field Service Programs
technical service programs • field training
Terry Haywood - Phone: 502.425.4776 ext. 2167 or Toll Free: 1-800-695-4500 ext. 2167 (US & Canada) Email: thaywood@gmcw.com

Domestic Equipment Sales Team

West Area

Kristian Kuh, Director of Sales
Ph: (312) 404-1040 Email: kkuh@gmcw.com

N. California, N. Nevada, Oregon, Washington, Alaska
Dave Williams
Ph: (209) 602-0117
dwilliams@gmcw.com

Colorado, Montana, New Mexico, Utah, Idaho, Arizona
Ignite Foodservice Solutions
Ph: (303) 433-0124
mail@ignitefoodservice.com

S. California
Fredco Mfrs' Representatives
Ph: (949) 788-7788
office@fredcoreps.com

Central Area

Kenny Stratton, Director of Sales
Ph: (281) 772-7006 Email: kstratton@gmcw.com

Ohio, Michigan, Indiana, Kentucky
Bryan Johnson
Ph: (513) 460-4594
bjohnson@gmcw.com

Iowa, Missouri
A.R.I. Group
Ph: (636) 537-8550
dspener@aol.com

Minnesota, N. Wisconsin, N. Dakota, S. Dakota, Iowa Nebraska, Kansas
Star Belmont, LLC
Ph: (763) 350-2629
amlucia@msn.com

Illinois, S. Wisconsin
Paul Wojcik & Assoc.
Ph: (708) 579-5567
pwafood@ameritech.net

Sales Representatives

Domestic Equipment Sales Team (continued)

Northeast Area

David Haimes, Vice President of Sales
Ph: (718) 663-3174 Email: dhaimes@gmcw.com

Mid-Atlantic Region
(Dealers & Consultants only)
Michael Belardo
Ph: (917) 273-7579
mbelardo@gmcw.com

New York, New Jersey
(Dealers & Consultants only)
Clements-Stella-Gallagher Mktg
Ph: (631) 758-5316 (NY)
tmc53@optonline.net (NY)

Upstate New York
Food Equipment Rep Services
Ph: (585) 247-8130
joe@foodequipservices.com

New England Region
Pardee, Freeman Inc.
Ph: (978) 281-2700
hpardee@pardeefreeman.com
ofreeman@pardeefreeman.com

New York, New Jersey
(Beverage Equipment only)
Repco of NY/NJ
Ph: (973) 875-0049
repco1861@embarqmail.com

Mid-Atlantic Region
(Beverage Equipment only)
Walsh & Associates, Inc.
Ph: (215) 591-3601
strmline76@verizon.net

Southeast Area

Rich Tosi, Vice President of Sales
Ph: (407) 474-7060 Email: rtosi@gmcw.com

Alabama, Georgia, Mississippi, Tennessee
Cutting Edge Marketing
Ph: (770) 649-9337
hgibson@cuttingedgereps.com

Texas, Oklahoma, Louisiana, Arkansas
Loftus & Associates
Ph: (281) 496-7660
tc@loftusassoc.com

North Carolina, South Carolina, Virginia
Pro-Reps
Ph: (252) 521-1827
rick@pro-reps.com

Sales Representatives

International Equipment Sales Team

Mexico, Latin America

Frank Coronado
Vice President of Sales
Ph: +1-480-208-4425
fcoronado@gmcw.com

José Miranda
Business Manager
Ph: +1-305-443-4345
jmiranda@gmcw.com

Outside US & Canada

Grindmaster, Crathco, American Metal Ware Products
Greenfield World Trade
Ph: 954-202-7336
aperez@greenfieldworld.com

Cecilware Products
HD Sheldon
Ph: +1-212-924-6920
rmetros@hdsheldon.com

Asia-Pacific

Mongkolchai Limpikanjanakowit
Business Manager
Ph: +66 (0) 8 1650 6005
mlimpika@gmcw.com

Canada

Specialty Beverage Solutions
Ph: (888) 805-5528
sales@sbsolutions.ca

2013 Tradeshow Schedule

United States

NAFEM Show
North American Food Equipment Manufacturers
February 7 - 9
Orange County Convention Center,
Orlando, FL

SCAA Show
Specialty Coffee Association of America
April 12 - 14
Boston Convention & Exhibit Center,
Boston, MA

NRA Show
National Restaurant Association
May 18 - 21
McCormick Place,
Chicago, IL

NACS Show
National Association of Convenience Stores
October 13 - 15
Georgia World Congress Center,
Atlanta, GA

International

Gulfood
February 25 - 28
Dubai World Trade Center,
Dubai, United Arab Emirates
GMCW equipment displayed in ***HD Sheldon*** *and* ***Greenfield World Trade*** *booths*

ANTAD
March 13 - 15
Food & Supermarket Expo
Expo Guadalajara,
Guadalajara, Mexico
GMCW equipment displayed in ***Greenfield World Trade*** *booth*

HOTELEX
April 1 - 3
Shanghai International Hospitality
Equipment & Supply Expo
Shanghai New International Expo Center,
Shanghai, China
GMCW equipment displayed in ***HD Sheldon*** *and* ***Greenfield World Trade*** *booths*

HOFEX
May 7 - 10
International Exhibition of Food & Drink,
Hotel, Restaurant & Foodservice
Equipment, Supplies & Service
Hong Kong Exhibition and
Convention Center,
Hong Kong
GMCW equipment displayed in ***HD Sheldon*** *booth*

ABASTUR
August 26 - 29
Centro Banamex,
Mexico City, Mexico
GMCW equipment displayed in ***Greenfield World Trade*** *booth*

HACE
November 3 - 6
International Hotel Supplies Exhibition
Cairo International Convention Center,
Cairo, Egypt
GMCW equipment displayed in ***HD Sheldon*** *booth*

Refer to www.gmcw.com for up to date information.



GMCW™

GRINDMASTER • CECILWARE™

Address:
4003 Collins Lane, Louisville, KY 40245 USA

Phone:
+1.502.425.4776
Toll Free: 800.695.4500 (US & Canada only)

Fax:
+1.502.425.4664

info@gmcw.com

www.gmcw.com

Prices effective January 1, 2014

© GMCW, 2010
PRINTED IN USA

1113 Form # PR-025-08